



Chapter One

OVERVIEW AND GETTING STARTED	1
Overview	1
Manual Layout	2
Installation	3
Getting Started	4

Chapter Two

THE MAIN MENU, PC CONFIG MENU AND SIM CONFIG MENU	7
Section One - The Main Menu	7
Section Two - PC Configuration	12
Section Three - Sim Configuration	22

Chapter Three

QUICK SHOTS	29
Overview	29
Quick Shots	30

Chapter Four

THE BATTLE OF BRITAIN CAMPAIGN	37
Overview	37
Section One - General	38
Section Two - Campaign Screen	40
Section Three - Luftwaffe Campaign Tutorial	45
Section Four - RAF Campaign Tutorial	60

Chapter Five

MULTI-PLAYER	73
Overview	73

Chapter Six

FLYING THE AIRCRAFT IN BATTLE OF BRITAIN	83
Overview	83
Section One - The Aircraft Controls	83
Section Two - The Interactive Cockpits	89
Section Three - Engines and Propellers	90
Section Four - Starting the Engine, Taxiing and Takeoff	95
Section Five - Flying	100
Section Six - Combat Manoeuvres	106

Chapter Seven

THE BATTLE OF BRITAIN REMEMBERED	119
---	------------

Chapter Eight

CREDITS AND ACKNOWLEDGEMENTS	127
---	------------

Appendix A

COCKPITS	129
Spitfire	129
Hurricane	130
Stuka	131
ME 110	132
ME 109	133



Chapter One

OVERVIEW AND GETTING STARTED

Overview

The Battle of Britain started on July 10th 1940. It was the beginning of a campaign by the Luftwaffe to destroy the defensive capabilities of British Fighter Command. The ultimate aim was a sea-based invasion of southern England in an operation codenamed Sealion. But it was recognised that air supremacy was vital if that operation was to succeed.

Although there were expectations in Germany for a quick victory, the air campaign lasted for well over two months. The battle went through a series of phases, that culminated in a major air battle over London and southern England on September 15th 1940. That event is still celebrated in Britain as 'Battle of Britain' day. Two days later German plans for Operation Sealion were shelved. In a technical sense the battle continued into a new phase through October 1940, but this simulation ends with the events over London in mid-September.

Rowan's Battle of Britain is one of the most ambitious simulations of aerial war ever produced. A player can take the role of a commander on either side of the conflict and can follow the entire campaign from July 10th to September 15th 1940, or can take part in one of twenty-eight specially designed individual flying missions. Some of the Luftwaffe's 1,000 aircraft raids are reproduced, affording a unique insight into what it might have been like flying against, or with, such numbers of aircraft.

In 'Campaign' Mode the player can select one of four starting points to enter the air war. The campaign begins with attacks on British coastal shipping by the Luftwaffe, who then move on to attacking radar installations, coastal facilities and airfields. This is followed by concentrated attacks against the RAF's major airfields and aircraft factories, which leads on to the final showdown during the 'Blitz' of London in September 1940. Players can take the role of a commander dealing with the strategic overview of the conflict using authentic campaign maps.

The specially designed quick-missions take the player from 'Basic Training', which involves starting the engine and learning to take off from a grass strip, to the more advanced areas of formation flying and dog-fighting. A number of historic missions are based on actual engagements, and these culminate in a massive simulation of the final raid of the war on September 15th 1940 - Battle of Britain Day.

Manual Layout

The Battle of Britain manual is laid out in eight chapters.

Chapter One contains an overview, followed by full installation instructions and a quickstart list that will get you off the ground and flying in the minimum amount of time.

Chapter Two describes, in Section 1, the function of the Main Menu and details the Replay facility within the game. It is followed, in Sections 2 and 3, by full descriptions of the PC configuration and Simulation configuration screens. These screens allow you to set all of your preferences for the game.

Chapter Three lists the available missions in the Quick Shots section of the game. These are individual scenarios that put you in a variety of flying and combat situations. The layout of the Quick Shots screens is described in full.

Chapter Four details the game's Campaign system. The general functionality of the campaign is described in the first section. Sections 2 and 3 provide tutorials for the Campaign from the perspective of a Luftwaffe Commander and an RAF Commander, respectively.

Chapter Five deals with the Multi-Player aspects of Battle of Britain. All of the multi-player facilities are described in detail.

Chapter Six is a large chapter dealing with flying and the aircraft available to fly in Battle of Britain. Section 1 lists the available aircraft controls in the simulation. Section 2 shows cockpit layouts that can be manipulated in 'interactive cockpit' mode. Section 3 focuses on engines and propellers. Section 4 shows how to start your engines, taxi and take-off. Section 5 concentrates on solo and formation flying. Section 6 deals with combat manoeuvres. And, finally, Section 8 provides technical summaries of the major aircraft in the game.

Chapter Seven, The Battle of Britain Remembered, is a specially commissioned historical perspective of the battle by author Dilip Sarkar.

Chapter Eight notes the game credits, acknowledgements and technical support details.

Installation

A. INSTALLATION INSTRUCTIONS

To install Rowan's Battle of Britain, please make sure that you follow the instructions below.

1. Insert the CD-ROM into the CD-ROM drive. If the game proceeds to autorun then go to step three.
2. Click on the START button on the Windows taskbar and select RUN, followed by BROWSE. Select your CD-ROM drive after clicking on the down arrow to the left of the LOOK IN box. Double click on the file named SETUP.EXE followed by OK.
3. You will be prompted to highlight your preferred language. Make your choice and click OK.
4. A welcome message will be presented. Click on the NEXT button to continue.
5. Select the destination directory where you wish this product to be installed. You can use the BROWSE button to change to a different destination. Click on the NEXT button when you are happy with your selection.
6. Select the program folder for the game installation. If you click NEXT then the default folder name is 'Battle of Britain'.
7. Rowan's Battle of Britain will now start installing. This will take a few minutes.
8. When the installation is complete, click on the FINISH button. Direct X will verify your system drivers and update them as necessary. You may be asked to restart your machine.
9. To play the game click on the START button and select PROGRAMS, EMPIRE INTERACTIVE, BoB, BATTLE OF BRITAIN.
10. If you have any problems, then try and repeat this process again. Read the minimum specification details on the side of the box and ensure that your machine accords with these. In case of further problems, look at the details in the Technical Support section at the back of this manual, or consult the "README.TXT" file via the Windows Start Menu (Programs->Empire Interactive->Battle of Britain->README.TXT)

B. UNINSTALLING BATTLE OF BRITAIN

If you wish to remove Battle of Britain from your system we suggest that you do not simply delete the installed files. You are recommended to click on START, SETTINGS, CONTROL

PANEL to bring up the Windows control panel. Double click on ADD/REMOVE PROGRAMS to bring up the add/remove programs properties box. Look for Battle of Britain under the installed software list and select the ADD/REMOVE button. Follow the on-screen instructions.

Getting Started

QUICKSTART

1. Install and load the game as referred to in the installation section above.
2. Rowan's Battle of Britain begins with an animated title sequence. This can be terminated at any time by clicking on your left mouse button.
3. You will be presented with the Main Menu of the game, which allows you access to every area of the simulation. The Main Menu is described in detail in Chapter Two.
4. Select the Sim Config option in the Main Menu. Use the left mouse button to make all selections. This displays a set of simulation configuration options that allow you to configure the flight simulation properties for your game. Look at the second option from the top - Flight Model. This can be set to either Novice or Realistic. If you are relatively inexperienced with PC flight simulations then you will wish to choose the very forgiving Novice option. On a Novice setting it is almost impossible to put your aircraft into an uncontrollable spin, and landings are rarely fatal. Select the Realistic setting if you are a more experienced flyer.
5. Select CONTINUE at the top right of the screen to return to the main menu.
6. Select PC Config from the main menu. The PC configuration screens allow you to configure a wide range of details that relate to your display, sound and control capabilities. Select the Controller option - the third from the left at the top of the screen.
7. Ensure that you have selected an appropriate input device. We strongly recommend that you use a joystick with this simulation. Assuming that you have a joystick, select the 'calibrate' option for your joystick, in order to ensure maximum control. Make sure that your joystick type has been enabled (has been ticked) and 'stick' is set to its X and Y axis. That way you will be controlling your aircraft in the most authentic manner. Of course, there are also options to add extra input devices such as rudder pedals.
8. Select Continue at the top right corner of the PC Config screen to return to the Main Menu.

9. Select the Quick Shots option at the top of the main menu. This option allows you to fly in one of twenty-eight pre-designed missions. The default first scenario is a Basic Training mission involving your plane taking off. Using the radio buttons you can change your aircraft and airfield. If this scenario is too simple for you, by all means choose something more complex. You may, however, find the Historic raid on September 15th 1940 a bit too much at this stage!
10. Click on the Fly option at the bottom of your screen, and once you have noted which squadron you have been assigned to, select Fly once more in order to load the simulation.
11. Assuming that you have chosen the Basic Training Take-off scenario, you will be on a runway ready for take-off. You should release your left and right wheel brakes (using your ☐ and ☐ keys), set your throttle to 100% (hit the ☐ key or turn your joystick throttle axis to full) and as your Spitfire picks up speed gently pull back on your joystick. You may find it more comforting initially to use the Outside View, which provides a third person view of your aircraft (hit the ☐, backspace key or use the 4th button on your joystick). Control is now in your hands!
12. If you wish to pause the game while in flight, press ☐. For more information on how your aircraft is performing whilst flying, press ☐. Use the joystick to control your aircraft's attitude and direction when flying. Pull the joystick back and the nose of the aircraft will rise and you will start to climb. Push the joystick forward and the nose will drop and the aircraft will begin to dive. Moving the stick to the left or right causes the aircraft to roll in that direction. To turn gently, roll the aircraft into a bank and then ease the stick towards you. Extreme or sudden movement of the stick can cause the aircraft to stall or spin. If you do not have a throttle enabled on your joystick use the number keys to control the engine power settings (☐ off, ☐ minimum, ☐ maximum). See Chapter Six for more details on flying.
13. Once you have mastered the basic controls, you can end a Quick Shot mission at any time by selecting the key combination ☐☐. A combat report will be displayed at the end of the mission, that will summarise what happened during the mission. Select BACK to return to the Quick Shot missions selection screen.

Chapter Two

THE MAIN MENU, PC CONFIG MENU and SIM CONFIG MENU

The first section of this chapter deals with the contents and function of the Main Menu. Not only does it describe each available option in general terms, but it provides the key information for the Load Game and Replay facilities. Section two provides a detailed description of the available PC configuration screens, which allow you to configure the game to suit the specifications of your PC, including your sound card and game controllers. Section three deals with the Simulation configuration screens. These let you configure the flight simulation to the level of detail, authenticity and complexity that you require.

Section One

THE MAIN MENU



The available Main Menu options are laid out as follows:

- Quick Shots
- Campaigns
- Multi-Player
- Load Game
- Replay
- PC Config
- Sim Config
- Credits
- Quit
- Web Site



QUICK SHOTS

The Quick Shots option takes you to the Quick Shots selection screen, where you can set up one of the twenty-eight single missions available within the game. These are limited, pre-designed scenarios which vary from simple tasks such as take-off and landing, through formation flying and dogfighting, to taking part in one of six historic missions based on actual major

engagements during the Battle of Britain. As is the case throughout the simulation you can choose to take part on either side. The Quick Shots section is described in greater detail in Chapter Three.

CAMPAIGNS

The Campaigns option lets you play on either side during the Battle of Britain. You can take the role of the commander where you will have at your disposal all of the RAF or Luftwaffe resources that were available at the time. The campaign can either be played straight through from its beginning in July 1940 until the climax on September 15th, or can be started at the beginning of any one of the four 'phases' of the battle. Chapter Four details the campaigns and provides a tutorial for both the RAF and Luftwaffe sides. The campaigns themselves have an extensive help facility that describes the function of every option available to the player.


MULTI PLAYER

In multi-player mode you can play Rowan's Battle of Britain with up to seven other flyers, according to your connection type. A variety of specially-designed Death match or Team Play scenarios are available. Alternatively you may play in a number of cooperative or adversarial scenarios based on the Quick Shots missions. You can select any of the aircraft that you can fly in single player mode. The dynamic campaign, however, is not a multi-player option. For full details on multi-player options go to Chapter Five.

LOAD GAME

The load game facility allows you to load in a Campaign game that you have previously saved. You are only offered the option to save your game during the Campaign section of Battle of Britain. The Quick Shot missions cannot be saved.

From within the Load Game screen, first select RAF or Luftwaffe at the bottom of the page (RAF is already selected). Then select the saved game of your choice from the list, and then click on Load at the bottom of the screen to restart your campaign at the point where it was saved. If you wish to return to the Main Menu without loading a saved game then select the Back option at the bottom of the screen.



Campaign games can be saved in three ways:

1. Use the 'filing' icon to open the filing dialogue with both "load" and "save" tabs, then either select a game to overwrite from the list, or enter a new name. Then click the SAVE icon.
2. After clicking the close icon to exit you will be offered a chance to save the current game. The process is then effectively the same.
3. The game "Auto Save" is generated every time you enter the frag screen on the way to flying a mission. The "Auto Save" entry in the list of loadable games will always be the situation just prior to the last time you entered the 3D in campaign mode.

REPLAY

The replay feature allows you to access footage that you have taken while flying. To set the cameras rolling in flight you need to press the **[C]** key.

RECORDING

There are several ways to record footage. The simplest is to set the Gun Camera option in the Sim Config/Views screen to On. This will record the mission from start to end. Setting this option to Trigger will record when the player shoots or drops a bomb, and for a limited time after firing has ceased. The camera will record for ten seconds after the

player has stopped firing, and for one minute after a bomb has been dropped. The player can also toggle the gun camera on/off by using the  key. Both this and the recording on trigger will concatenate recorded pieces during the same mission together into a single replay file for that mission. It is possible to throw away all current footage and begin again by pressing .

SAVING

In Quick Shot missions, when the mission has ended the player returns to the Debrief screen. There is a replay option here which allows the player to save and/or view the footage from the mission he has just flown. To save the footage, select an existing file to overwrite, or type a new name in under current file and click on Save. To view the recent mission click on View.

During the Campaign, click on the replay icon on the main toolbar on the map screen. This will give the player the option of saving and viewing footage in the same way as for Quick Shot missions.

REPLAYING

To replay footage that you have recorded, either select the replay option from the Main Menu, or use the replay icon on the map toolbar in the campaign section of the game. If you choose replay from the Main Menu, the replay screen is displayed. On the replay screen, you should select the desired footage. A list of previously saved replay files will be displayed, to view one, click on the name so it is displayed in current file and click on View.

The simulation 3D system is then loaded, and a set of 12 icons and a running bar are displayed at the top of the screen. When a recording is being replayed, a line moves along the running bar to indicate the current position relative to the start and stop positions. The two other lines on the running bar are for Start Marker and End Marker. The default position for these markers is at the start and end of the running bar. These markers allow you to select significant footage.

Starting from the left icon, the functionality is as follows:



- Rewind to the previous marker



- Rewind to the previous block

The recording is saved in discrete blocks. Forward and Rewinding through the blocks is a quick way of moving around the recording.



- Rewind one frame (only available when paused)



- Play/pause



- Forward one frame (only available when paused)



- Forward to the next block



- Forward to next marker



- Save the marked block



- Reset the markers to the default position (beginning and end of recording)



- Exit replay [0] or [Esc]



- Set the start marker to the current position [-]

Setting the marker to after the end marker moves the end marker to the end.



- Set the end marker to the current position [+]

Setting the marker to before the start marker moves the start marker to the beginning.

The icons can be selected using the keyboard number row ([1] for the first icon, [2] for the second icon etc. up to [-] and [+] for set beginning and end marker) or the mouse pointer (so long as the interactive cockpit has the mouse allocated to it in the controller preferences). In addition to the controls provided by the icons, most of the usual view keys are available using the function keys. No cockpit views are available, because they are not part of the recording.

PC CONFIG

The PC Config option in the Main Menu gives you access to the five screens of the PC configuration menus. These can be used to select your preferences for the display of the 2D and 3D sections of the game, as well as the controller and sound preferences. The selections you make will be determined, to some extent, by your PC hardware. Once you have made your choice of preferences they are saved when you exit the game.

A full description of the PC Config screens is presented in the next section of this chapter.

SIM CONFIG

The Sim Config option gives access to the four screens of the simulation configuration menus. These can be used to select your preferences for the choice of flight models, views and mission tactics within the game. Generally, your choice of preference settings will be determined by your level of experience. Your preferences are saved when you exit the game, and also saved as part of a campaign savegame.

A full description of the Sim Config screens is presented in the section 3 of this chapter.

CREDITS

Select the credits option on the Main Menu to view the team that put Battle of Britain together. Select your left mouse button at any stage to return to the Main Menu.

QUIT

The quit option leaves the Battle of Britain and takes you back to Windows.

WEB SITE

Select the Web Site option to open up your default web browser and connect to the Battle of Britain web site. You will already need to be connected via your Internet Service Provider if you are to connect successfully. The web site contains information regarding the latest news on the product.

Section Two

PC CONFIGURATION

The PC configuration menus have five main pages that relate to the preferences associated with your PC setup. You can move from page to page using the five active areas at the top left of the screen:

- 3D
- 3DII
- Controller
- Sound
- 2D

There are also two options at the top right of the screen. Sim takes you to the Sim Config screens, discussed in Section Three of this chapter. Continue either takes you back to the previous screen or back to the 3D to continue your flight.

All of the configurations options are displayed within what are known as 'combo' boxes. These can be manipulated either by selecting the down arrow on the right hand side of the box and choosing from the list within the drop-down menu that is displayed, or by clicking on the main part of the box, and cycling through the available options one at a time.

Once you have made your choice of PC preferences, they are saved when you exit the game using the main menu Quit option.

If you find that you are no longer able to play the game and are unable to change the options to a safe set the configuration file can be deleted. The file is c:\Program Files\Rowan Software\Battle of Britain\SAVEGAME\SETTINGS.CFG - if you installed the game to the default location.

3D

The 3D page of the PC Config menus contains the following options:

- **Display Driver**

This combo-box holds the 3D drivers on your PC that Battle of Britain has detected. The displayed driver is the one that is currently selected.

- **Resolutions**

These are the range of resolutions that your current display driver can use to display the 3D simulation section of the game.



- **Gamma Level**

Minimum, Low, Medium, High, Maximum

Every 3D video card and monitor setup produces a different brightness and contrast output. The Gamma Level option allows you to set the monitor output to a level of your taste without altering your standard monitor settings. Choose lower options to darken the image or higher options to brighten it.

- **Lowest Frame-Rate**

5 through to 34

This allows you to set the lowest frame-rate at which you wish the game to run when auto frame-rate (below) is on.

- **Auto Frame-Rate**

On, Off

When Auto Frame-Rate is enabled (on), the game automatically turns 3D detail and other features on or off to attempt to maintain a frame-rate that is higher than the lowest frame-rate setting (above). These changes will be stored for the next time you go into the 3D. In general, the more 3D detail you can see, the lower the frame-rate.

- **Ground Shading**

On, Off

This controls the shading of light on the ground. Light shading takes processor time, so if that is a concern, then turn it off.

- **Item Shading**

On, Off

Item shading can be turned on or off. It controls the light shading on aircraft and other moving objects.

- **Reflections**

On, Off

If reflections are turned on then a cockpit mirror will be drawn if present in that aircraft model. Also the in-cockpit canopy and instrument glass will have reflections which fade out depending on the angle to the sun.

- **Weather Effects**

Clouds On, All Off

With weather effects off there is simply a general average cloud base. If clouds are turned on individual clouds will be displayed. These are realistic, but have an impact on the frame rate on slower machines.

3DII

The 3DII page of the PC Config menus contains the following options:

- **Filtering**

*None, Bi-Linear,
Tri-Linear, All*

These filtering settings increase the quality of image-mapping.

The "all" setting enables multi-textured dithering effects and may not be supported by all cards.



- **Smoke**

On, Off

This option toggles smoke special effects and early morning fog banks.

- **Texture Quality**

Minimum, Low, Medium, High, Maximum

The level of texture quality has a considerable effect on the displayed frame-rate but improves the quality of certain aspects of the 3D, especially the cockpit view.

- **Town and Forest Raises**

On, Off

With this setting turned on cities, towns, villages and forests are displayed as raised areas on the ground. Turn this option off if you are having frame rate difficulties, otherwise it helps to break up the landscape.

- **Routes**

The display of small roads, rivers and rail lines can be turned on or off with this option.

On, Off
- **A/C Shadows**

When this option is turned on then aircraft shadows are visible on the ground.

On, Off
- **Item Shadows**

This option toggles the visibility of ground shadows for objects other than aircraft.

On, Off
- **Horizon Distance**

With Near Horizon enabled, the ground detail does not extend as far into the distance, but the frame-rate is improved. Far Horizon will not be selected by default if your video card cannot run with a z-buffer of greater than 16 bits. This feature may require a colour depth of 24 to 32 bits depending on the graphics card and adapter.

Near, Far
- **Detail Level**

Detail has a range from minimum through to maximum. It allows the detail level of the landscape and shapes to be altered. The smaller the level of detail the greater the gain in frame rate. High is our designed level, but we have provided Maximum for future improvement in machine specifications.

Minimum, Low, Medium, High, Maximum
- **G Effects**

With the effects of G (gravity) turned on, then it is possible for you - the pilot - to blackout and red out, depending on the manoeuvres you make.

On, Off
- **Injury Effects**

This toggles the display of injury effects if the pilot is hit.

On, Off
- **White Outs**

The white out option toggles the display of sun glare on and off.

On, Off

CONTROLLER

There are five basic control inputs for the flight model - elevators and ailerons; rudder; throttle and propeller pitch. These are all analogue inputs and they can all be linked to hardware devices such as a joystick, throttle levers and rudder pedals, as well as being controllable via the keyboard. In the case of twin-engined Bf110, a second throttle and propeller pitch can also be linked to a hardware device, allowing the player to control the two engines independently. If only one hardware device is available for controlling the throttle or propeller pitch, pressing the **[E]** key will allow the player to cycle through the engines to be controlled by the primary hardware inputs.



There are further details on aircraft control in Chapter Six Section One.

The controller page of the PC Config menus contains the following options:

- **Input Device**

The input device selection displays all of the valid input devices that Windows currently has connected. It is recommended that you use a joystick with Battle of Britain. Make sure that the selection is valid for your input device. If you are unsure that your device has been calibrated recently then use the calibration option. This brings up the standard Windows Control Panel calibration procedure

- **Enable**

Ensure that the tick box is enabled beside the controller type you wish to use with the game.

If you have a number of input devices it is possible to enable a number of them, but it is recommended that you only enable the devices you will actually use with this simulation, as each extra enabled device requires processor time and resources.

- **Use for FF**

If you have a 'force feedback' joystick then you can tick this box. If your controller is not force feedback enabled then this feature will be greyed out. You can also disable or select 5 different feedback levels for each of the following effects:

- Gun fire transmits vibrations caused by the guns on your aircraft.

- Buffet transmits vibration caused by buffeting if you are near the stall condition, close to an explosion, or close to the speed of sound (unlikely).
- Aerodynamic setting causes stiffening of the controls at high speed.
- Airframe transmits vibrations transmitted through the airframe from the ground - i.e. when you are taking off or landing (or crashing!).

The lower section of the controller page details the aircraft-specific control provided by your input device. There are three extra columns that provide extra choices for each input:

- **Dead Zone**

Most of the options below have independent dead zone settings. The dead zone is the region at the centre of the stick where no control input is provided to the aircraft. The player can choose to set the deadzone to Small, Medium or Large depending on the quality of the hardware being used. Generally speaking, for a joystick which centres well, and produces a signal which is steady and with little noise, a small deadzone is appropriate. However, if, when the joystick is released, it does not zero exactly or the signal continues to vary, this can be compensated for by selecting a larger deadzone. You will need to find the best arrangement by trial and error.

- **Mode**

In addition to setting the size of the deadzone, the player can also select between a Realistic and a 'Sim' mode for the elevator, aileron and rudder inputs. The Realistic mode makes the flight model response fairly sensitive to the control inputs, just like flying a real aircraft, whereas the Sim mode attempts to offer a much less sensitive response and allows the player to make fairly large control inputs with less danger of over-controlling or stalling. The choice of which mode to use depends on personal preference and player experience.

For other axes, the mode combo offers low, medium, or high sensitivity for mouse or joystick input.

- **Flip**

Where available, the vertical flip toggle will change a forward movement of the device into a downward movement on the display.

The horizontal flip toggle has a similar effect on sideways movement for view pan.

The various controls offered are as follows:

- **Stick**

The 'stick' controls both your aileron and elevator. It is most natural to assign the first two axes of your joystick to this setting. The stick mode can be set to a sim or more challenging realistic setting.

When this combo is set to keyboard, the arrow keys on the keyboard must be used for flight (not recommended).

- **Rudder**

This provides control of your rudder, which yaws the aircraft in flight, or steers the rear wheel when taxiing.

- **Throttle**

The throttle provides control for selecting the desired engine power.

When this combo is set to keyboard, the row of numbers on the main keyboard can be used to select the throttle level in 10% increments

There is a second box for the Bf110, which has two throttle levers, one for each engine. When this second combo is set to keyboard, the two throttles can be controlled either together or individually. In flight, pressing **E** will cycle through the available engine to control - both together, port engine only or starboard only.

- **Prop Pitch**

The propellor pitch controls the angle of the propeller blades. This can be used manually, just like the gearbox in a car, to maintain the correct engine speed. Or it can be controlled automatically by the computer.

When this combo is set to keyboard, **Shift** and **9** gives maximum prop pitch (and therefore lower rpm) whilst **Shift** and **0** gives minimum prop pitch (and higher rpm).

Shift in combination with the **-** and **+** keys will increase and decrease (repectively) the propellor pitch by smaller increments (having the opposite effect on the rpm).

- **View pan**

This 2-axis control is used to scroll the view horizontally and vertically. When this control is mapped to the mouse you may wish to adjust the sensitivity using the mode combo box.

When this control is mapped to a head input device, you may also wish to set a large dead zone to avoid the display shaking with every wobble of the head. You may also need to experiment with the flip toggles to match head movement with display movement.

When this combo is set to keyboard the numeric keypad can be used to move the view.

- **Zoom**

Zooms the range in and out on an outside view.

The sensitivity can be controlled using the mode combo.

When this combo is set to keyboard, the numeric keypad and keys will zoom the range.

- **Cockpit**

This device will be used to select levers and buttons within the interactive cockpit.

THIS INPUT IS ALSO USED TO SELECT MENU OPTIONS ON THE IN-GAME RADIO AND MAP DIALOGS.

This is only possible if full engine management is enabled.

If the mouse has been assigned to View Pan then a Shifted mouse can be assigned to the cockpit control. To toggle the mouse function between Shifted and Normal operation, press the right mouse button (in this example, you would swap between View Pan and Cockpit Modes).

When this combo says none, there is no way to manipulate the instruments in the cockpit.

The radio and map dialogs can be worked using the number keys.

- **Gunner**

When flying in a gunner position, this device will be used to move the gun.

The sensitivity can be changed between low, medium, and high, or if a joystick is used, the gun can "Move To" the position of the joystick.

When the main combo says "Stick" this means it will use the same input device as the main "stick" control.

When the main combo says "View pan" then the input device assigned to control view panning will be used.

When this combo says "None" the gun cannot be controlled, so don't choose to fly as a bomber.

SOUND

The sound page of the PC Config menus contains the following options:

- **Sound Driver**

The sound driver box displays the currently selected driver, along with other drivers available on your machine and through direct sound.

- **3DSFX Volume**

Minimum, Low, Medium, High, Maximum

This setting controls the volume of the sound effects in flight, and also has an impact on the radio chatter and engine volumes below.



- **SFX Processing**

Stereo, 3DSound

Proper 360 degree 3D sound will only work if your sound card supports it. Doppler Effects are simulated with the 3D Sound option on.

- **UI SFX Volume**

Off, Minimum, Low, Medium, High, Maximum

This setting determines the volume of sound effects in the user interface.

- **Ambient SFX Vol**

Minimum, Low, Medium, High, Maximum

This setting controls the volume of the ambient sound effects in the non-flying sections: e.g. office sounds in the 2D Map Room.

- **Radio Chatter Volume**

Minimum, Low, Medium, High, Maximum

This setting controls the volume of the radio chatter while flying and in the 2D Map Room.

- **Engine Volume**

Minimum, Low, Medium, High, Maximum

Controls the volume of the engine noise.

- **SFX Quality**

Low, High

Allows you to set the quality of sound effects to low or high.

High quality sounds effects require more RAM memory and may require more processing time depending on the Sound Card.

2D

The Battle of Britain front-end artwork is designed to run on a 1024x768 Windows desktop. However, the main 2D campaign planning map can be displayed at any resolution you wish to use.

If you generally use a higher windows desktop resolution, then these options allow you to reduce the number of mode change transitions at the price of large borders around the artwork.

If you have problems initially viewing the intro artwork then the command-line option `-BORDER` will force all these options to "windows desktop" resolution.

The 2D page of the PC Config menus contains the following options:

- **Map Screen**

This sets the resolution of the 2D campaign planning map screen. By default it is set to match your Windows desktop resolution, but it can be altered from between 640x480 and the maximum resolution of your system. Note that your monitor may not support all the modes that your graphics card reports.

- **Colour Depth**

The colour depth allows you to change the bits-per-pixel colour depth between 16 (High Colour) and 32 (True Colour)

Your Windows desktop setup may not allow you to change the colour depth on the fly, so this option may have no effect.

- **Intro Artwork**

Allows you to alter the resolution of the video footage as the game loads up. The options here are

- 640x480 (or 512x384 if supported) to show the video full-screen
- 1024x768 to match other 'scramble' screens
- 'Desktop' to match your desktop

- **Map Events**

This resolution is used whenever a full-screen is required after visiting the campaign map. This includes the Frag screen, end of day reports, and the replay management screens when accessed via the 2D campaign map screen. They can be viewed



full-screen at 1024x768 or at the current map screen resolution, which may, of course, be 1024x768.

- **Scramble**

The display resolution for the main menu screen and all screens from here, including scrambling for a quick-shot are controlled from here.

These can be viewed full-screen at 1024x768 or at the current desktop resolution.

Section Three

SIM CONFIGURATION

The Simulation configuration menus have four main pages of preferences associated with the setup of the simulation when you are flying. You can move from page to page using the four active areas at the top left of the screen:

- Flight
- Game
- Mission
- Views

There are also two options at the top right of the screen. PC takes you to the PC Config screens, discussed in Section Two, above. Continue either takes you back to the previous screen or back to the 3D to continue your flight.

All of the configurations options are displayed within 'combo' boxes. These can be manipulated either by selecting the down arrow on the right hand side of the box (and then choosing from the list within the drop-down menu that is displayed), or by clicking on the main part of the box (and cycling through the available options one at a time).

FLIGHT

The Flight page of the Sim Config menus contain the following options:

- **Flight Options**
Minimum, Low, Medium, High, Maximum, Custom

Setting this box will change all the options below to 5 pre-configured



difficulty levels. For instance, minimum uses the Novice flight model with most of the options turned off, and maximum will set up the full flight model with the options set up to give full realism. If you manually change the options below, then the Flight Options box will show "custom".

• **Flight Model**

Realistic, Novice

There are two flight models available that can be used to control the way in which the aircraft flies. The 'realistic' model allows the player to experience all the flight characteristics of each aircraft such as the stability, control responses, stall and spin characteristics. The 'novice' version provides accurate performance modelling of the aircraft but keeps it within the normal safe flying envelope. This second model allows the player to fly a very stable version of the aircraft without worrying about stalling or spinning.

• **Engine Management**

Manual, Auto

The game offers the player the chance to use many of the engine controls present in the real aircraft. These include such things as Magnetos, Fuel Cocks and Starter Buttons. This allows the player to take control of the engine management, just like the pilot of a real aircraft. These controls may only be used with the 'interactive cockpit'. Due to the complexity involved, no keyboard control is provided in this mode. This option is not available if the novice flight model has been selected. If you wish to fly the aircraft without worrying about the management of the engine, select Auto and the computer will control the engine and fuel systems automatically.

• **Prop Pitch Control**

Manual, Auto

This allows the player either to control the propeller blade angle manually, or to let the computer automatically control the propeller, based on the engine speed and the throttle setting for the engine. The automatic system will always attempt to provide the player with the most power appropriate for most flight and combat conditions, but it will not necessarily allow effective windmill braking or propeller feathering (see Chapter Six - Section Three).

• **Power Boost**

On, Off

This option allows the player to increase the power of the engine in order to give an advantage during combat. If the power boost is Off, the power produced by the engine will be realistic. When switched On, the engine will produce approximately 50% extra power which provides the player with increased speed and climb performance.

• **Wind Effects**

On, Off

The wind is modelled at all altitudes and it varies in direction and strength on a day to day basis. The wind will affect the take-off, cruising, bombing and approach of all the aircraft in the game. This option allows the wind to be turned off completely.

• **Wind Gusts**

On, Off

If the wind effects are switched on, then random gusts are also modelled, and their strength depends on the weather conditions each day. This option allows the player to switch gusts on or off. Gusts will not occur if Wind Effects are switched off.

• **Airframe Stress**

On, Off

The aircraft and their pilots are subjected to very large forces during combat and aerobatics. Although the structure of the aircraft is very strong, aircraft were known to break up in the air, especially when pulling out of steep, high speed dives when the aerodynamic forces on the wings and tail section can be very great. The effects of these large forces are modelled in the game and if the player puts too much stress on the aircraft it may break up. These effects can be switched off and there will be no danger of the player damaging the aircraft as a result of very high G manoeuvres.

• **Torque/Slipstreaming**

On, Off

The effects of the propeller, such as the torque reaction in the fuselage, the effects of the rotating slipstream on the tail surfaces and the gyroscopic effects of the large diameter propeller are all modelled in the game. These affect the handling of the aircraft both on the ground and in the air, but can be difficult for an inexperienced pilot. This option allows the player to ignore all of these effects and consider only the thrust produced by the propeller in the flight model.

• **109 Fuel Capacity**

Realistic, High

The Messerschmitt Bf109 has an internal fuel tank with a capacity of 400 litres. This limited the range of the aircraft, restricting it to only 20 minutes flying time over British soil before it had to turn home. This had significant tactical implications for fighters escorting bombers to targets in England and often meant that the fighters had to leave the bombers before they had reached their targets. An external auxiliary fuel tank with a capacity of a further 300 litres was provided for the Bf109. This was made of moulded plywood, and tended to leak significantly with a danger of catching fire, making these tanks very unpopular with the pilots. In order to model the increased range which could be achieved with the increased fuel capacity, without the dangers of the plywood tank, the player can choose to increase the effective capacity of the internal fuel tank (to 700 litres) by switching this option to High.

GAME

The Game page of the Sim Config menus contains the following options:

- **Weapons**

Realistic, Unlimited

When the Unlimited weapons option is selected weapons will be automatically reloaded when they are emptied. If the weapon selection is set to Realistic, the setting still can be over-ridden in the 3D by using the reload cheat key **Ctrl R**.



- **Vulnerable to Fire**

On, Off

When turned off enemy fire will not damage your aircraft.

- **Ground Collisions**

On, Off

When enabled, collision with the ground will damage or destroy your aircraft.

- **Midair Collisions**

On, Off

When enabled, collision in midair with other objects will damage or destroy your aircraft. This option also controls collisions with 3D ground objects such as buildings and vehicles.

- **Complex A.I. Pilots**

On, Off

When enabled all aircraft are processed using the realistic flight model. When disabled, only the player's aircraft and his opponent are processed using the realistic flight model, and other aircraft are processed using a simpler model.

- **Accel Off**

Tactical, Engage

This setting relates to the use of accelerated time during the game.

When the trigger is set to engage, your aircraft will drop back into real time only when you are directly threatened and enemy aircraft can fire at you. If the trigger is set to tactical, then real time is reset much earlier in the encounter. This will give you time to engage the enemy at a tactical level and allow you to gain height or maneuver, so that you may be able to achieve tactical dominance.

- **Target Size**

Low, Medium, High

Altering this setting affects the apparent size of a target, and hence the apparent accuracy of your guns. The smaller the target size the more realistic the setting.

- **Autocanopy**

On, Off

This option will automatically open and close the cockpit canopy at low speed so that takeoff and landing can be performed realistically.

- **Aircraft Names**

On, Off

This option toggles the display of names below the aircraft.

MISSION

The Mission page of the Sim Config menus contain the following options:

- **LW Skill Modifier**

Minimum, Low, Medium, High, Maximum

This setting determines the skill level of the Luftwaffe in a campaign setting. At medium, the true skills of the squadrons will be used. At minimum and low settings the skills will be reduced, and at high and maximum settings the skills will be increased.

You may wish to increase the LW skill when you are playing LW commander, and reduce it if you are playing the RAF commander.



- **RAF Skill Modifier** *Minimum, Low, Medium, High., Maximum*

This setting determines the skill level of the RAF Luftwaffe in a campaign setting. At medium, the true skills of the squadrons will be used. At minimum and low settings the skills will be reduced, and at high and maximum settings the skills will be increased.

You may wish to decrease the RAF skill when you are playing LW commander, and increase it if you are playing the RAF commander.

- **Luftwaffe Tactics**

Historic, Optimum

The LW tactics can either follow history and take notice of the orders passed down from Berlin, or they can follow a more optimal route. For example, in the more optimal game-plan, the one month convoy phase will be curtailed and the highly successful airfield phases will be extended. This option primarily effects the RAF commander.

- **Luftwaffe Intell**

Historic, Accurate

The LW were plagued with poor intelligence on the precise use of various factories and airfields and had to run many reconnaissance missions to get accurate damage assessments.

When playing as a LW commander it is useful to be able to get accurate information.

- **Map Plotting**

On, Off

This option primarily effects the RAF commander.

When this option is on, Map plotting will be represented historically, and flights that have been temporarily lost on the radar screens will stop moving. When the option is off, the map plotting will always be fully accurate.

- **Auto Vectoring**

On, Off

Auto vectoring determines how the aircraft in your Group will react during combat when you are flying as the leader. When Auto Vectoring is on, the other pilots will determine how they should react automatically. When Auto Vectoring is off, you will be offered a range of sensible choices. Selection should be made using either the number keys or the mouse pointer. If a choice is not made within a few seconds then the options are removed and the other pilots will make their own choices.

VIEWS

The Views page of the Sim Config menus contain the following options:

- **Restricted Views** *On, Off*

When turned on the player is restricted to the cockpit view. This option is provided so that during a Multi-Player session all players are limited to the same view.

- **Peripheral Vision** *On, Off*

When Peripheral Vision is on you will notice RAF and Luftwaffe identification symbols near the edges of the screen. These represent aircraft that would be in the peripheral vision of a real pilot. The computer presents a much smaller field of view than human eye-sight.



- **Auto External**

On, Off

When turned on, and when 'inside padlock cockpit' has been selected, the view will automatically change according to the position of the target. If the target is in front of the player, then the inside view is presented. Otherwise, the outside view is presented.

• **View Mode Select**

Panning, Fixed Views

This controls how the number pad arrow keys respond. If panning is switched on then pressing a key will produce a smooth pan. If fixed views are switched on then key presses will jump straight to a new view. The  key also toggles this selection in game.

• **Padlock When Visible**

On, Off

When this option is on, padlocking is only possible when the target is in view. When off, the object has to be in visible range but not necessarily in view to be padlocked.

• **Info Line**

Off, Flight info, View info

The 'info line', which is at the bottom of the screen when flying, can be in one of three modes. Flight info mode gives flight-specific information about your speed and altitude. View info mode tells you which views you currently have enabled. If the info line is turned on then the last spoken radio message will also be displayed for a few seconds.

• **Units**

Imperial, Metric

The selection determines the units displayed during the game. For instance, in imperial units speed is displayed in miles per hour, while in metric units speed is displayed in kilometres per hour.

• **Gun Camera**

Off, Trigger, On

The gun camera can either be off all the time, on when the trigger is pressed, or on all the time. When Trigger is selected, the camera is not switched off immediately the trigger is released. The amount of time that the trigger is left on after releasing the trigger depends on the ordnance selected. So, for example, the camera is left on longer after a bomb release than when firing cannon/bullets. The  and  keys can over-ride this option.

• **Head Up Display**

On, Off

Virtual threat indicator and artificial horizon instruments are available to help you to retain situational awareness during combat. These instruments are designed to compensate for the fact that in a simulation you do not get the same feedback during combat as would a real pilot. A real pilot has full peripheral vision and feels the effect of gravity. When turned on, the Virtual Threat Indicator is displayed on the top left of your screen. It shows an isometric perspective of a 360 degree circle of view. Any threats are marked as vertical lines. They show the angle of the threat relative to your aircraft and the relative importance of the threat (height of line is proportional the size of threat). The artificial horizon is the same as is found in most aircraft.



Chapter 3 QUICK SHOTS

Overview

This chapter deals with the options that are available when you choose Quick Shots from the Main Menu. Quick Shots allows you access to any of the twenty-eight specially designed single missions in the game. It is the easiest and quickest way in which to jump into an aircraft and fly. And it also provides you with a training ground to hone your flying and tactical skills before deploying them in the full Battle of Britain campaign.

In order to make the most out of these quick shot missions you will need to make the appropriate adjustments to the PC and Sim configuration settings in the game. The default settings for the game are appropriate to the less experienced user, so if you are an experienced flyer you may well wish to select more challenging preferences. These are discussed in detail in Chapter Two. You may also wish to learn more about certain aspects of flying authentically-modelled World War Two aircraft. In that case you will find much useful information in Chapter Six.

It is possible to play all eighteen of the non-training quick shot missions in multi-player mode, where up to seven other remotely-connected players can take part in the action with you.

QUICK SHOTS

Choose the Quick Shots option from the Main Menu and you will be presented with the Quick Shots screen. On this screen all of the details of your Quick Shot mission can be set up.

At the top of the screen there are two combo-boxes that allow you to choose your Quick Shot scenario. The upper box divides the scenarios up into six basic types, while the lower box allows you to choose between all of the missions available with that type of mission. The basic mission types are as follows:



BASIC TRAINING

Five basic missions to ease you into the art of take-off, landing and circuit training.

- **Take-Off**
Practice engine start-up and take off.
- **Landing**
Landing practice from final approach.
- **Circuits**
Practice a circuit around an airfield and land.
- **Squadron Take-Off**
Learn how to take off in squadron formation.
- **Squadron Landing**
Learn the art of squadron landing, and communicating with your wingmen.

ADVANCED TRAINING

These five missions move you up to the more advanced art of complex flying and landing problems.

- **Follow the Leader**
Attempt to follow your squadron leader and see if he is able to lose you as he tries to throw you off his tail.
- **Formation Flying**
Maintain your position in formation while your leader puts you through a series of course changes.

- **Free Flight**

A free flight allowing you to familiarise yourself with the landscape near your home airfield.

- **Landing - Engine Failure**

With an engine that has stopped operating you must perform an emergency glide landing.

- **Landing - Heavy Damage**

Make an emergency landing with a heavily damaged aircraft.

DOGFIGHTING

Actual combat training with several different customizable dogfighting scenarios. Go on your own, or set up multiple aircraft engagements with either side having the advantage.

- **Turkey Shoot**

Shoot down a plane you are tracking from behind.

- **One on One**

A straight fight against one determined opponent.

- **Random Advantage**

A British squadron is vectored against a Luftwaffe fighter sweep. The tactical advantage at the start is changed randomly.

- **RAF Advantage**

The RAF squadron is positioned at the rear of a Luftwaffe fighter sweep - with the clear advantage.

- **LUF Advantage**

The Luftwaffe fighter sweep is positioned behind an RAF squadron.

GROUND ATTACK

Get the practice you'll need to fly for the Luftwaffe against the varied types of ground targets that can be found in the Campaign.

- **Dive Bomb Attack**

Luftwaffe bombers initiate a dive-bombing attack while their fighter escort deals with RAF fighters scrambled in response.

- **Anti-Shipping**

A Channel convoy is under attack from dive-bombers.

- **Low Level Attack**

German aircraft have approached a coastal target at low level to avoid detection by radar and are now initiating an attack.

INTERCEPTIONS

When encountering enemy aircraft you'll want to have plenty of practice with the different techniques of interception. Particularly when it happens in a dynamic campaign.

- **Lone Fighter vs Lone Bomber**

A fully laden bomber against a single RAF fighter.

- **Front attack against Bombers**

Two RAF squadrons positioned ahead of an enemy bomber force and escort.

- **Rear attack against Bombers**

Two RAF squadrons positioned behind an enemy bomber force and escort.

- **Scattered Attackers, Scattered Escort**

Two RAF squadrons are separated and up against two Luftwaffe fighter squadrons defending an enemy bomber force.

HISTORIC

Six scenarios based on actual historic engagements that took place during the Battle of Britain. These will provide the ultimate test of how much you have learned in the previous training missions.

- **July 19th - End of the Defiant**

The day before the Boulton-Paul Defiant was removed from service.

- **August 13th - Eagle Day**

The start of a new phase of the Battle - attacks on Fighter Command airfields.

- **August 15th - Black Thursday Morning**

The morning of the largest surprise raids of the Battle of Britain.

- **August 15th - Black Thursday Afternoon**

88 Dornier 17s on a massed raid over England.

- **September 9th - London**

Heavy raids launched against South London.

- **September 15th - Battle of Britain Day**

Two massive raids over London that sees the climax of the Battle of Britain.

Underneath the quick shot mission choice there are four radio buttons, and each of them bring up further information about the selected scenario:

SCENARIO

Provides a textual description of the chosen mission.

PARAMETERS

The parameters radio button gives access to four boxes that allow you to edit the basic parameters of the mission:

- **Target Area**
Defines the type of area where the action takes place - for instance airfield, docks etc. Sometimes you are not allowed to edit the location type, at other times you are provided with a choice.
- **I.D.**
Defines the specific location - for instance, the specific airfield etc.
- **Weather**
Choose between clear, patchy cloud, low cloud and high cloud.
- **Time**
Choose between dawn, morning, afternoon and dusk.
- **Name**
Choose your call sign by selecting the name and editing.



LUFTWAFFE AND RAF

Clicking the Luftwaffe or RAF radio button provides information on the groups of aircraft from either side taking part in the mission. Each panel listed shows details for a specific squadron / staffel unit. They are:

- **Duty / Target**
This field is displayed at the top left of the panel, and it cannot be altered. It either shows the duty that the unit is expected to perform or the target it is attacking or defending.



- **Aircraft icon**

The aircraft icon can be clicked and highlighted to specify which unit you want to fly in. This icon is non-selectable if the aircraft type is a non-flyable, such as the Defiant.

- **Aircraft type**

This combo-box allows you to alter the aircraft that the unit will use. You are limited to choosing another aircraft of the same type that can perform the same duty. For example, if the unit initially has a Dornier Do17 assigned then you can only change it to another medium bomber type (He111 or Ju88). Sometimes a mission will force a specific aircraft type and no other types are selectable.

- **Number of flights**

You can change the number of flights within the unit. The total number of aircraft is dependent on the type of aircraft. For example, Spitfires, Hurricanes and Ju87s operate in flights of 3 aircraft, Me 109s operate in flights of 4 aircraft and all the medium bombers (He111, Do17 and Ju88) operate in flights of 5. So two flights of Spitfires comprise six aircraft while two flights of He111 total ten aircraft. Selecting 0 flights means that the unit does not take part in the mission. Some mission will not allow units to be disabled in this way, or restrict the option completely.

- **Altitude**

You can set the initial altitude of the unit. Sometimes the field will be blank and cannot be altered. This is because the unit is closely escorting a previous unit (one that appears above it) and shares its altitude.

- **Skill**

Sets the average overall skill of the pilots within the unit.

A NOTE ABOUT HISTORICAL MISSIONS

These missions are large, consisting of many units attacking numerous targets over a large area. As an example, take the 'Aug 13th Eagle Day'. When you change the details in the first unit panel of the Luftwaffe, you are actually changing the details for each of the 3 Staffel units that make up 1 Gruppe. You are only able to fly in the lead staffel if you select the aircraft icon.

There are two choices at the bottom of the Quick Shots screen:

BACK

Returns control to the main Menu.

FLY

Takes you to the so-called 'Frag' screen, where you are shown your unit, aircraft, duty and call sign. If you are happy, then chose FLY at the bottom of the screen. This will then take you into the quick shot mission itself. You may also choose to enter the Sim Config screens for any last minute tuning, or to return to the Quick Shots screen by selecting Back.

The 'frag' screen is laid out as follows:

- **Unit**
The list of the staffel or squadron units taking part in the mission.
- **Aircraft**
The major aircraft comprising the units taking part in the mission.
- **Duty**
The duty of the aircraft in the mission.
- **Callsign**
The callsign of the leader of the unit.



Below this list is a bank of pilot slots corresponding to the current highlighted unit. This is automatically set to the unit you selected on the quick shots screen. The arrangement of the pilot slots shows the flight formation that will be used in the air. Your player name should appear automatically in the lead pilot slot. You can change your position within the squadron / staffel by clicking another pilot slot. You can view other units by clicking different unit lines at the top of the screen (if there are any).

If you lose track of your current pilot selection then hit the 'Return to Player' button. The unit containing your pilot will be selected and displayed.

THE END OF A QUICK SHOT MISSION

You may exit a mission at any point by pressing the **[Alt]** and **[X]** keys.

Once a mission is completed, you will be presented with an on-screen menu containing the options 'Continue' and 'Stand down' (exit) with a key prompt for each. Press the appropriate key to continue flying or exit the mission. The menu will default to 'Continue' after a few seconds and will not appear again - in this case, you must press the **[Alt]** and **[X]** keys when you are ready to exit.

A mission is deemed completed for a variety of reasons. For a take-off mission, simply getting into the air will trigger completion.

For combat missions, either destroying all enemy aircraft or allowing any remaining bandits to stray too far out of range will trigger completion.

Once you have completed a quick shot mission, successfully or otherwise, you will be presented with a full Combat Report.

The combat report details the mission you have just completed, particularly location and casualty information. At the bottom of the report there are four active areas:

- **Back**

This returns the player to the Quick Shots screen.

- **Report**

Displays the combat report.

- **Diary**

Displays the combat diary, with more details of the mission that has just been performed

including the number of intercepts and the number of losses.

- **Replay**

This allows the replay of any material recorded by the gun camera during the mission. Click on replay to go to the replay file selection screen.

This allows you to name the most recently selected footage, or to choose a file from the box of previously saved replays. Select Back to return to the Quick Shots screen. Select Save to save newly taken footage.

And select View to view saved footage - this takes you back into the 3d system and provides you with a replay facility as detailed in section one of Chapter Two.



MULTI-PLAYER ASPECTS OF QUICK SHOTS

A number of these quick shot scenarios are available in multi-player mode, and can be played with or against other remote players. This is detailed more closely in Chapter Five.



Chapter Four

THE BATTLE OF BRITAIN CAMPAIGN

Overview

This chapter provides the basic detail that you will need to be able to control a campaign in the Battle of Britain simulation. You will learn all about the strategic disposition of forces on either side, as well as relevant details of intelligence and supply. The campaign system allows you to take the role of a Commander on either side of the conflict and deploy all available resources to ensure victory for your side.

It's possible to play the campaign straight through from the beginning of the Battle of Britain on July 10th 1940 all the way through until the climax on September 15th. Or, you can jump into the campaign at the start of one of the four separate phases of the Battle.

Section One shows how to access the campaign section of the game. Section Two describes the overall layout of the main campaign screens. The fine detail of the function of each dialogue box within the campaign is left to the context sensitive help system found within the game. Section Three provides a tutorial for playing the campaign from the Luftwaffe side. This includes a mission briefing and some strategic hints. Section Four contains a tutorial from the RAF perspective.

Section One

GENERAL

To enter the campaign, select Campaigns on the Main Menu. The next screen allows you to choose between RAF and Luftwaffe Command. Once you have chosen you will then be asked to select which phase of the campaign you wish to join from the four options at the top of the screen:



- **Convoys**

This period, from July 10th until August 11th, sees the start of the Battle of Britain. After the Battle of France, many Luftwaffe units were depleted and required rest so a major attack against Britain was not possible immediately. The Luftwaffe strategy was directed towards the attack of British convoy ships in the Channel. The aim was to force the RAF into the sky over the Channel, in the hope that they would be vulnerable to attack. If you wish to play the entire campaign then you should begin with this scenario. At the end of this phase your disposition of forces will be carried forward into the next.

- **Eagle Attack**

In the phase from the 12th until the 23rd of August the Luftwaffe moved their attack to coastal Radar sites and RAF forward airfields. There tended to be little warning of incoming raids, which left RAF squadrons fighting to scramble in time.

- **Critical Period**

From the 23rd August until the 6th of September the Luftwaffe moved their attention to attacking inland airfields and strategically important aircraft manufacturing industry.

- **Blitz**

The German command believed that trying to destroy the RAF on the ground would take too long – so the RAF would be destroyed in the air. The final stage saw the Luftwaffe attacking London to draw out the remaining RAF forces. It culminated in a massive air battle on September 15th 1940.

Once you have selected your phase, you can choose to start by selecting 'Begin' at the bottom of the screen.

You may then edit your name before once more selecting 'Begin' to enter the campaign proper.

A campaign may be saved at any stage by selecting the Filing Option on the map toolbar from within a Campaign (see Section Two). You will also be offered a chance to save the campaign before quitting. The game is also



automatically saved to a file called "AutoSave" whenever you attempt to fly.



The filing option can also be used to abandon the current game and reload an earlier one. It is also possible to load in a saved campaign by choosing the Load Game option from the Main Menu and following the instructions given in Chapter Two.

Playing the Simulation at varying levels of difficulty

The level of difficulty while playing the campaign is set by some of the options in the Mission page of the Sim Config menu. In particular, you should be aware of the skill modifier, tactics and intell(igence) settings. These are discussed in detail in Section Three of Chapter Two. If you wish the most difficult campaign as an RAF Commander, for instance, then set the LW Skill Modifier to Maximum, RAF Skill Modifier to Minimum, Luftwaffe tactics to optimum and Luftwaffe intelligence to Accurate.

CAMPAIGN TUTORIALS

The tutorials in sections three and four should provide you with the knowledge to run a basic campaign. Within the game itself there is an extensive context-sensitive help system that describes the functionality of every choice that is available to you as a Commander. To gain complete familiarity with the tools at your disposal after the tutorial, you can investigate the campaign screen dialogs in more detail.

To gain the most out of the tutorials you should try and follow through from the Luftwaffe Campaign in Section Three below and then onto the RAF Campaign in Section Four. Full management of a campaign is a complex task. The aim of these tutorials is to familiarise you with the background to the campaign, and provide you with the basic details of campaign management.

In the game itself every icon on the campaign screen is identified when the mouse pointer is moved over it.

Every dialogue box displayed within the campaign section has an associated help file that fully describes the function of the contents of the dialogue box. The relevant help file can be accessed by clicking on the question mark at the top right corner of any box. You have the option to print out the help file at any time.

Section Two

CAMPAIGN SCREEN

The campaign screen is generally dominated by the campaign map, with a set of icons in the top right corner of the screen and five toolbars:

- **The time toolbar**
- **The main toolbar**
- **The map toolbar**
- **The scale toolbar**
- **The teletype toolbar**

The layout of the toolbars and the function of some of the icons is slightly different depending on whether the campaign is being played from the side of the RAF or the Luftwaffe.

THE MAP



The campaign map is capable of displaying the entire area of the Battle of Britain campaign, from northern England to northern France, based on original Ordnance Survey data from the period. The large scale map can be displayed at 4 major levels of magnification, from 400 miles square down to a 50 mile square area. At a finer level of detail the map becomes a continuously scaleable down to a scale of 2 miles square. The zoom level is

easily adjustable, and the map may be scrolled, either using the scroll bars at the right and bottom sides of the map, or by clicking and dragging with the left mouse button while the pointer is over the map portion of the screen.

It is possible to change the map zoom by one of three methods:

1. by using the scale toolbar (see below).
2. by clicking with the right button while the mouse pointer is over the map and choosing either the 'zoom in' or 'zoom out' option.
3. rotating the wheel on a Microsoft Wheel Mouse (or similar) while the mouse pointer is over the map. If the mouse wheel zoom doesn't work initially, then try clicking on the map first.

SCREEN CONTROL ICONS



The fixed set of icons in the top right of the screen offer the following functions:

- **Quit**


Return to the Main Menu.

- **Toolbar Control**

This gives access to the toolbar dialogue box. This box allows the player to select which of the five toolbars will be displayed on the screen at any one time


- **Size**

Toggle between full screen and maximized displays.



RIGHT CLICK

Right click while the mouse button is anywhere apart from the campaign map on the campaign screen and a menu system that duplicates the functionality of the toolbars will open.



CONTEXT SENSITIVE HELP



Every dialogue box that is displayed within

the Battle of Britain campaign has an associated help file. The help file explains the function of every element and option within the dialogue box. To access help left click on the question mark at the top right of any dialogue box.

MAIN TOOLBAR

The main toolbar consists of nine square notebook icons (eight in the case of the Luftwaffe) at the bottom right of the screen. The name and function of some of the icons varies slightly depending on whether you are playing the campaign from an RAF or Luftwaffe command:

Luftwaffe Icons



Aircraft Allocation

The aircraft allocation dialogue box shows where the nation's current aircraft production is destined, and what is required. There is a line of information for each type of aircraft under production



Luftwaffe Resources or RAF Resources

The resources dialogue shows the location and strength of each Geschwader or Squadron available to central command.



Geschwader Lists or Squadron Lists

The Geschwader and Squadron lists provide more detailed information about strength and battle readiness of the aircraft at your disposal.



Weather

The weather information box shows the day's weather forecast for the south-east England.



Review

The review summary box shows all of the major information about the campaign and the known state of RAF and Luftwaffe resources.



Pilot Info

The pilot info icon brings up the pilot log book.



Target List or Asset List

The target/asset list details all of the major British assets in the south of England.



Mission Folder

The mission folder lists all of the missions that have been planned for the day. It shows all missions that have been authorized and that have been flown and completed. All missions are cleared from the folder at the end of each day.

Hostiles List (RAF only)

The hostiles list dialogue lists all the raids that have been detected for the day. As soon as a raid is detected it is added to the list, so it is in chronological order.

RAF Icons



MAP TOOLBAR

The map toolbar consists of the seven telephone icons just below the map view:

Luftwaffe Icons



Thumbnail Map

Click on the thumbnail map icon to bring up the thumbnail. The red rectangle indicates the area covered by the main campaign map.



Zoom Level

The zoom level displays two user-definable levels of zoom on the campaign map.



Zoom Toggle

Clicking on the Zoom Toggle icon toggles between the two user definable zooms that are set in the Zoom Level dialog.



Directives Toggle

The Directives Toggle Icon is used to toggle the appearance of the directives dialogue box. If the telephone icon is on the hook the directive dialogue box will not appear. The directives dialogue, which by default appears at the start of each time period, allows you to build up missions automatically.



Map Filters

The Map Filters dialogue is used to control the icons and lines that are drawn on the main campaign map.



Filing

Click on the filing icon to display the filing dialogue box, which is used to save and load campaigns. You can save or load a campaign at any stage of the game.



Replay

Allows you to replay footage from in-flight cameras that has previously been recorded. See Chapter Two Section One for further details.

RAF Icons



SCALE TOOLBAR



The units shown on the toolbar scale are either imperial or metric depending on the selection under the units option in the Sim Config menu. If imperial units are selected then the scale is displayed in nautical miles. Kilometres are used if metric units are selected.


The scale is fully dockable so that you can move it around the map. The scale can be forced to display horizontally or vertically. If the scale is currently vertical, then click and hold on the top portion of the scale above the origin and drag it to the desired location.

One method of altering the map scale is to click and hold



with your left mouse button over the map toolbar. Select a location at the bottom of the scale and move the mouse upwards to decrease the map resolution. Select a location at the top of the scale and move the mouse downwards to increase the map resolution.

TELETYPE TOOLBAR




The teletype toolbar is just below the map, on the left hand side of the screen. It displays a summary of the last three

messages received by central command. The originating location is on the left side of the message, followed by a message title on the right.

Click on a message to open the Message dialogue and see the full body of the message.



TIME TOOLBAR



The time toolbar is located at the bottom left hand side of the screen.

The Teletype section of the Time Toolbar shows the current date, time and acceleration rate of the game. Click in the teletype area to display the clock.



The control icons below the teletype section determine the flow of the campaign:



• Game Speed Icon

This opens the Time Control dialogue box.



• **Pause Icon**

The pause icon pauses the game. To resume a paused game you must click on the Play Icon or Accel Icon (described below).



• **Play Icon**

The play icon plays the game in real time, where one game second takes one real second (this is the default setting).



• **Accel Icon**

The game will run at the accelerated rate determined by the settings in the Time Control dialogue. The accelerated time can range from x0, when the game is paused, through x1, which indicates that the game is running in real-time, to x600.

Section Three

LUFTWAFFE

CAMPAIGN TUTORIAL

COMMAND BRIEFING

- You are in command of Luftflotte 2 and 3 in northern Europe. In preparation for the forthcoming invasion of England, an operation codenamed SeaLion, you will engage RAF Fighter Command and achieve air supremacy over the skies of south east England.
- In early July 1940 you have 3 Geschwader, totalling about 300 aircraft under your command. Over the next few weeks this will rise to 24 Geschwader. All told, you will have over 2000 aircraft under your command. You are limited to scheduling missions for a maximum of 90 staffeln at any one time.
- In pursuit of your campaign objectives, you will plan missions on the map display.
- The full range of Mission Types can be designed. You can either design a mission personally or just set the overall parameters and let your staff complete the details by using 'directives'.

You are also cleared to fly missions in Messerschmitt 109, Messerschmitt 110 and Junkers 87D 'Stuka' aircraft. In addition you can act as gunner in any of the three medium bombers: Junkers 88, Dornier 17 and Heinkel 111.

OVERVIEW AND LUFTWAFFE ORGANISATION

It is estimated that the RAF are left with about 50 fighter squadrons after their losses in France earlier in the year. The British also have limited production capacity. At this stage there is no firm intelligence on the major aircraft production locations.

Most of the RAF's fighter squadrons are assigned Hurricanes. Some squadrons do have the more modern Spitfires. Both fighters are inferior to our Me109, however the Spitfire does seem to have the advantage over the Me110. You should develop a strategy so that the RAF can be attacked in the air and on the ground.

The Luftwaffe organisation bears no resemblance to that used by the RAF. Two of the Luftwaffe's three Luftflotten are involved in the battle. The headquarters of Luftflotte 2 is in Brussels, while Luftflotte 3 are headquartered in Paris. Each Luftflotte consists of a number of Geschwader. A Geschwader is a unit of about one hundred aircraft all of the same type. Each Geschwader consists of up to 3 Gruppen and each Gruppe is made up of up to three Staffeln. A complete fighter Staffel will have three Schwärme of four aircraft each. Bombers normally fly in Kette of threes in a Vic formation.

Our understanding of the state of British intelligence is as follows. The RAF have built radio masts on the English coast. Their purpose is unclear, however there is a strong likelihood that they form some sort of aircraft detection system. The RAF seem able to intercept raids successfully. However there has yet to be a significant test of their capabilities. It seems likely that the RAF fighters are under some kind of Ground Control System that relies on the information provided by the radio masts. Experience shows that this is a difficult and inflexible method of operation and so there is some merit in leaving the radio masts intact. This will mean that the RAF will continue to attempt to use their system even when they are overwhelmed by superior forces.

PART 1 USING DIRECTIVES

OVERVIEW

Each day is split into three time periods - morning, midday and afternoon. You are given the chance to make major strategic decisions at the start of each period. As the Luftwaffe Commander, you hold the initiative. The RAF must react to the raids that you will be making over the south of Britain. Once your own Luftwaffe raids have left the ground you cannot issue any more direct orders to them. You can only watch the progress of raids on the map and, if you wish, choose when to take a place in a cockpit, to take a more active role.

So that the process of ordering raids is not too complex, a mission directives dialogue box is displayed at the start of each time period. Directives automatically generate missions based on a broad set of instructions from you. Once you have configured the directives to reflect your broad strategic plans, complex raids will be generated without requiring much more interaction from you.

SETTING DIRECTIVES

From the main menu screen, choose the Campaign option, and request a campaign as a Luftwaffe Commander during the 'Eagle Attack' phase of the battle.

As you first enter the campaign screen you will see the directives dialogue box. The help screen for directives, accessed by clicking on the question mark at the top of the dialogue box, is available for all screens displayed during the campaign.

The time is 6:30 a.m. on the morning of August 12, 1940. A certain number of aircraft are available to you, representing an accurate reflection of the resources available to Luftflotte 2 and 3 at this stage of the war. The losses and damage sustained by your aircraft during the campaign, combined with the rate of Luftwaffe aircraft production, will determine how the number of available aircraft varies as the days progress.



A gruppe can fly one mission per day. You can reserve a percentage of your gruppen for missions in a specific period. At this point, say we wish to increase the number of gruppen available for raids in this first morning period. Click the down arrow in the Bomber Allocation Mid-day box until it is zeroed. Increase the allocation for the morning period so that it reads 60%, and set the Ju87 setting to 'maintain %'.

The section that dominates most of the directives dialogue is used for aircraft allocation. It shows how many gruppen are being directed to attack British targets of a certain type. Some default entries have already been made at the start of this time period. Let's start afresh, by hitting the 'REST ALL' button at the lower right of the screen in order to zero all aircraft entries against targets.

We wish to send our Ju87 Stukas to attack Radar (RDF) targets. Find the aircraft allocation cell for Ju 87s and RDF targets. Click the up arrow until 5 Stukas are assigned. 5 gruppen of Ju87 have now been made available for missions against RDF targets. Note the way in which Luftwaffe aircraft are organised - one gruppen generally represents 36 fighters, or between 27 and 45 bombers.

These vulnerable Ju87 dive-bombers will need some escort. Follow the RDF row along to the Me109 column. Assign 5 gruppen of Me109's by clicking the up arrow five times. We want the Me109's to escort the Stukas closely. Follow the RDF row along to the % Tied field and increase it to 100%. All escort fighters will now fly in close formation with the bombers. It is worth pointing out that the % Free slot lets you specify how much of the escorting force will be flying detached escort – this means they will be flying the same route as the bombers but will be flying ahead, behind or above them by some distance. If these two fields do not add up to 100% then the difference is used for Return escort – these fighters will meet up with the bombers as they return from the target area. (If you wish, you may also determine how these escorts fly relative to the bombers by altering the 'Attached Escort' section further above in the directives dialog.) Click on the Tick on the top right of the box to confirm the campaign orders that you have given.

You are now shown a list of proposed missions generated from your directives. Targets have been automatically chosen based on priority, and gruppen assigned according to availability. More missions can still be added to this list (and, of course, missions can be changed or deleted). Hit the cross at the top right of the proposed missions dialogue box to go back to the directives set up.



Let's assign some of our twin-engined medium bombers to attack airfield targets. On the airfield target row choose 4 He 111 bomber gruppen. Also, assign 3 Me109 and 1 Me110 fighter gruppen as escort, on the same line. We can make half of the fighters fly in close, attached, escort while the rest are detached. In the % tied box set the allocation to 50%. The strafe box should be ticked, which means that fighters will strafe the target if the opportunity presents itself.

On each row to the right of the bomber allocation cells you will find the 'size per target' field. This determines how many aircraft will form each separate mission. This in turn affects how many raids will be launched. Since airfields are large area targets we will send 2 gruppen to each target by setting the size field to 2 gruppen. (RDF and convoy targets can often be dealt with using smaller sized raids.) You will notice that the 'Missions' column - the number of raid missions that are being proposed - has dropped from 4 to 2. Two raids will be launched against airfields with these directives.

The two Heinkel bomber raids will be flying separately to different targets. We can force them to fly together as one raid that will split as it nears the target area. This

is a useful tactic for confusing the British defence network. On the airfield line, increase the 'Secondary' target field from 0 to 1. This means there will be one additional target for each raid. Notice that the number of missions has now dropped to 1. So, with these directives, a raid of 4 He 111 gruppens will be launched, and it will split in half near the target area so that two separate airfield targets can be attacked. The automatically chosen targets are likely to be geographically close since the '2nd' target option is chosen.

Click on the tick button at the top of the directives screen to see the new set of proposed missions. The first raid has 120 bombers, escorted by 144 fighters, involved in a raid on two separate targets. Click on the tick at the top of the proposed missions box to confirm these missions.

PART 2

FOLLOWING RAIDS FROM THE CAMPAIGN MAP

OVERVIEW

You are now looking at the campaign map screen. Click on the pause button near the bottom left hand side of the screen, so that we can take our time to understand how everything is laid out. When time is progressing normally you will see the markers representing your raids move across the map. You will receive warnings when most vital events occur.

The campaign map screen is divided into a number of areas:

1. The campaign map, in the upper left, dominates the display - showing southern Britain and northern France. The map is scrollable (use the scroll bars; or click, hold and move with your mouse) and scaleable (click and hold on the scale on the right hand side, or use your mouse wheel, if you have one). Using map filters you can determine how much information is displayed on this screen. At this stage you will see that your directives have already generated a lot of information!
2. The main toolbar is on the lower right of the screen. It displays 8 'folder' icons (9 in the case of the RAF) that relate to all of the relevant campaign specific information you can display and the commands that you can make.

3. Above the main toolbar is the map toolbar. The icons on the map toolbar allow you to modify all aspects of your map display. There is also a game save facility under a 'filing' icon on the map toolbar.
4. On the lower left of the display is the time toolbar, displaying the campaign time and gameplay speed controls.
5. Above the time toolbar is the teletype area, where important Command centre messages are displayed as they are received.
6. At the top right of the screen there are three overall display controls. Including a quit icon that allows you to quit the campaign and return to the main menu of the game.

THE MAP

In the area of northern France on the campaign map you will see a number of tall boxes with yellow, red and blue horizontal bands. These 'tokens' represent the raids that you have generated from the directives screen. These tokens were actually part of the RAF plotting system during the war, and were used to keep track of known Luftwaffe raids. We have adopted it for use by the Luftwaffe itself in this simulation, so that Luftwaffe raids are always displayed in a consistent fashion, whichever side you choose to play on.



The top, yellow bar shows the raid ID number, using R001 for the first Luftwaffe raid of the day. The red band shows the number of aircraft involved in the raid. The bottom blue band shows the altitude of the group in thousands of feet or metres (depending on the default system of units chosen). A raid marker only shows the position of the aircraft forming the head of the raid, which in a mixed mission would be the main bombers. It does not show the escort aircraft, as they move from their airfields (often different to the bomber airfields) to form up with the main raid. Later, we will learn how to use a modern plotting system to track all aircraft in a raid.

MANAGING TIME AND WARNING MESSAGES

Look at the time toolbar panel, showing the date and time, at the bottom left of the screen. The two buttons on the right hand side of this toolbar set the simulation to play either on 'normal' time (where one second of game play is one campaign second), or 'accelerated' time (where one second of game play is a larger number of campaign seconds). Click on the leftmost 'game speed' button to display the game speed 'control' box. This dialogue allows the accelerated time button to be configured and also allows the setting of preferences for when warning messages are displayed during a mission.

The first bank of four options at the top of the game speed control box configures the accelerated speed for different campaign situations. Note, for instance, that the default 'non-raid' speed is 300. This means that if you run the game in 'accelerated' play, then for every second you are watching the simulation there will be five minutes of campaign time, so long as you are in 'non raid' mode. The game runs in 'raid' mode once any active Luftwaffe raid is detected by British Radar or by the Observer Corps.




Configure the 'Normal Time' feature on the lower part of this box by ticking the boxes for small and large engagements. This setting means that accelerated time will be slowed down to normal time when any form of engagement arises. Select the 'Fly' tag at the top of the box and ensure that 'offer take-over on event' tick boxes are selected under the 'All' column in the engagement and ground attack rows. These settings determine when during the campaign you will be offered a chance to fly. All tick boxes should be de-selected if you simply wish to follow the entire campaign from the perspective of the Commander. Close the dialogue by clicking the tick in the top right corner.

Now, it's time to get the raids we have created under way. Hit the accelerate button. You will see that time accelerates rapidly while the elements involved in the raid takeoff and form up. Once a raid has formed and is en route to England it will be picked up at some point by the British Radar net and the game speed will drop to fifteen times normal speed.

The raid tokens, representing each raid, move along the route of the main raid group and will eventually either be intercepted by the RAF or will reach their target.

UNDERSTANDING AND ACTING UPON WARNING MESSAGES



A warning dialogue will be displayed at the start of any engagement, offering you the opportunity to 'takeover'. This means that you can get into a cockpit of an assigned aircraft in the engagement and fly this part of the mission. We will do that

later! At the moment - pause the game by hitting the pause button on the time toolbar panel. Hit cancel on the takeover dialogue to decline the chance to fly.

You will see your last 3 messages on the teletype screen below the map. Click on the teletype and the full log will appear. Examine the most recent transmissions carefully to understand what has been happening. Close down the message box when you are completed.

THE MISSION FOLDER

You will find the mission folder icon within the main toolbar at the bottom right of the campaign screen. Click on the icon to open the folder. The mission folder shows a full breakdown of the five raids that were generated from your initial directives.



Look at the first raid - R001. There are three lines associated with this Heinkel bombing raid. The first line shows the information about the Heinkel bombers carrying out the strike, including take off time, expected time over the target (ToT) and the

name of the target. The status field lets you know how the raid is organised at this moment. For instance, 'forming' means that the raid has yet to pull its separate elements together and set out to the target area. 'Target Area' means that the raid is within range of the target or actually carrying out an attack. The RAF field shows you how many British fighters are currently engaging the raid (if any) and the tally shows the current number of kills against the RAF by the raid as a positive number and the number of losses as a negative number.

The two lines below the level bomb description of the Heinkels shows the information for the attached and detached Messerschmitt escort sorties that protect the bombers. Use the scroll bars to view all of the elements of the missions in progress. The buttons at the bottom of the mission folder allow you to re-task and alter the routing of any raid, so long as it is not in progress. We will approach those topics later on. Click on the tick box at the top right of the dialogue when you are ready to proceed.

Note that you can also access the mission folder at any time by clicking on any of the raid tokens on the campaign map. The mission folder will be displayed with the appropriate raid marked in red.

Now, hit the accelerated time button and hit cancel on each takeover warning message that appears. Watch the raids as they move to the targets, attack and then turn back. You will see that some new tokens appear on the campaign map during these raids. These are RAF tokens, which signify individual RAF patrols which will have been launched in response to your raids. They are displayed with white and blue bands. When your raids have landed the period will continue until it ends and the directives dialogue will appear again for the midday period. We previously reallocated all the aircraft from the midday period to the morning, so we have no aircraft available at this time. This is not quite as alarming as it sounds. While the RAF are given a break, it also allows the Luftwaffe time to regroup and gain some rest. And we will take a look at how to debrief the missions we sent out in the morning.



SUMMING UP AFTER ONE PERIOD OF RAIDS



Hit the pause button and close the directives box. Open the mission folder. The raids from the morning period are still listed. Note that the status for most of them will be set to

'complete', which means that they have returned and landed. Highlight the line for the first raid R001. Hit the 'Gruppe' button (at the bottom right of the box) to see details of the lead bomber gruppen that made up this raid. The Gruppe dialogue is split into three panels. Each panel contains details about one gruppe. Three gruppen make up one Geschwader.



To see how the selected gruppe performed during the raid, access the gruppe's mission diary by clicking the 'Details' button at the lower right of the geschwader box. In the gruppe diary box, if you click on 'view single', then you will get a very detailed breakdown of the raid debriefing. All of the other gruppen involved in the



same raid can be accessed from this screen. Look at the target and result field to see if the raid managed to reach the target and inflict any damage on it. Also look at the Enemy Losses to see how many RAF fighters intercepted the raid and how many of those fighters were knocked out by the gruppe.

Close down all gruppe and mission folder windows, and go into accelerated time until the end of the mid-day period. Since no Luftwaffe aircraft are set to fly there is no significant action at all during this time. When the next time period (afternoon) starts, the directives box is displayed once more. Pause the time button at this stage.

PART 3 AUTHORISING AND EDITING RAIDS

The directives tool is very efficient for quickly setting up missions using numbers and types of aircraft that you prefer. The targets that are automatically assigned for each type of target are taken from a list ordered by priority. Relative priority is determined by a number of things; for instance the target's perceived value to the opposition - fighter command - as well as the amount of damage already sustained by the target are important.


For this reason, in this stage of the war for example, British airfields that house bombers are less important to the Luftwaffe than airfields servicing fighters.

You may decide that targets might be best approached in an order different to the one generated automatically by a directive set. In this section we will learn how to authorise our own individual missions and learn how to alter the details of those raids.


First, we should start with a clean slate. Click on the 'REST ALL' button and click on the tick at the top right corner to close the directives box with no proposed missions. Go forward to close the proposed missions box. All available aircraft are now ready for us to allocate manually.

THE TARGET LIST

Click on the target list button - which is second from the right on the lower main toolbar. The target list displays every possible British target on a number of pages. Each page has a list of targets for one distinct target type according to the selection of the 'tab' at the top of the box. The list is ordered by absolute priority to the Luftwaffe war effort.



Find Gosport airfield and click on its entry in the box. To get more information about this target click on the 'details' button at the bottom of the dialogue box. This opens a 'target dossier' with the heading Gosport AF. Click on 'centre' to centre the airfield on your campaign map and click on 'zoom' three or four times.



Your map will be centred on Gosport airfield.

Targets appear as round icons on the map. Different colour icons are displayed for different target types. Airfields are green. If you cannot

see any airfields being displayed on your map, find and select the map filter icon on the map toolbar. Click on the 'airfields' tick box, making sure that the box is checked



before leaving the map filter dialogue box. The exact location of the Gosport airfield should now be identified on the campaign map by its icon. If a target suffers damage, then a red outline is displayed around the icon. A red cross on the icon means that the target is considered to be destroyed and non-operational. Select any target icon on the campaign map to bring up its information dossier.

Currently, we have very little information in the dossier for this target. Its status is unknown and we have no idea how much damage it has sustained (we haven't flown a raid against it yet so it's safe to assume it is undamaged). The available intelligence is restricted because we are playing the campaign with the same handicaps as the Germans at that time. There is an option on the Mission Page of the Sim Config menu for Luftwaffe Intell(igence). It is possible to change this from 'Historic' to 'Accurate' and have constant up to date and accurate intelligence for all the targets. This makes the campaign a lot easier when playing as the Luftwaffe and very difficult when taking the role of the RAF commander. For the moment, let's stay with the default 'Historic' setting.

The information in the dossier will be updated after you have raided the target. This information comes from the Bomber crews who watch their bombs fall on the target. You will find that their information is often biased. From the bomber's viewpoint the damage can seem quite spectacular but on the ground it is a different story. The bombs may be hitting buildings or areas that have no real value, or the damage they cause is quickly repaired.

The damage report in the dossier quickly becomes out of date. To get an accurate and up to date report you must periodically dispatch reconnaissance aircraft to the target. Reconnaissance aircraft take detailed photographs of the target (the photo option becomes available) which are analysed by skilled intelligence officers. They will give a more accurate assessment of the damage to a target.

They will note any aircraft types in residence at a field and update their classification of the field correspondingly - Airfields that were part of Bomber or Coastal command that played no real part in the battle were commonly mistaken for fighter command stations. These mistakes can be recognised through the use of reconnaissance. Such aircraft are mainly deployed against airfields and radar sites.

You can request a reconnaissance mission against a target by clicking the 'Reconn' button on a target dossier or by using the automatic feature on the directives dialog.

AUTHORISING A MISSION

Say we want to create a mission against Gosport Airfield as a target. Select the 'authorise' button at the lower right of the target dossier. In turn, the mission folder is now displayed. Scroll down to the latest mission to be assigned, at the bottom of the mission list. A new raid will have been added to the list, with Gosport AF as a target. It has been set up using a standard mission profile. Let's now take a closer


look at how this raid is put together.



EDITING THE TASK

Select the first line of the new raid (it will have a bombing mission type) and click on the 'task' button at the bottom of the mission folder. The task dialogue is split into five separate pages that afford you great flexibility in altering the profile of this new raid. The 'summary' page gives you an overview of aircraft types and numbers that have been assigned, and allows you to make sweeping changes to those broad parameters if you wish to.

Click on the 'bombers' tag to set up the major attack force. By default, one staffel of bombers is assigned and on the bottom list you will see the name of the assigned



bomber unit. Click on the 'next available' unit twice and you will see the number of allocated bombers increase from one staffeln to two gruppen. Automatically, the computer tries to assign gruppen from the same Geschwader, but if it cannot then the unit dialogue box comes up and you can manually select which gruppe you wish to choose.

You can change a unit you have already added by clicking on the unit name. The unit select dialogue will be displayed, and you may select a new unit. You can also change the target for a unit by clicking the on the target name. The easiest way to choose a new target is to select a target icon on the main campaign map. Since the gruppen all make up the same main raid, any new targets will be secondary ones, and the raid will split up after it has formed.

Close the task box and return to the mission folder. Note that once a raid has taken off further task editing cannot be performed.

EDITING THE ROUTE

With the original raid leader unit highlighted in the mission folder, select the 'route' button on the bottom of the box to display all of the 'waypoints' on the route. Waypoints are the significant map locations where important mission events and



direction changes occur - ranging from take off to the entry into the target area. It is possible, through this screen, to insert new waypoints. The major waypoints cannot, however, be edited. Full details of the meaning of waypoints are described

in the help file in the route dialogue box. If you look at the map screen you will see that the route of your selected bomber group has been highlighted in white. Waypoints are displayed as rings.

MAP FILTERING

It was mentioned earlier that raid tokens on the campaign map are a representation of those used by the RAF during the Battle of Britain. We have a modern alternative that allows you to see more detail - more detail than would have been possible at the time.

Click the 'map filters' icon on the map toolbar, and select the 'aircraft' tab. You will observe that 'authentic plots' are currently selected. Tick the option for 'one icon per Gruppe'. A small icon will appear on the map for every Luftwaffe staffeln that is in the air. You will need to zoom in very close to distinguish the individual staffeln flying in gruppen formation. Extra information about each icon is displayed as a hint when the mouse is rested over it. You will see the possible complexity of a campaign map with this level of detail.

PART 4 FLYING

Now, click on the accelerate button. As the campaign progresses you will eventually be given a 'takeover' warning message when the RAF intercepts one of your missions or a ground attack has started. Click on the 'fly' button. Control will now move to the 'frag' screen, where you can select your aircraft from the raid that has been intercepted.



It is also worth noting that it is possible to fly any aircraft from any raid that is in your mission folder at any time. Simply select the raid component of interest in the mission folder and click on the 'frag' button on the lower left of the screen.

The frag screen displays every gruppeinvolved in the chosen raid. Choose which unit you wish to join by selecting its name from the list at the top left of the screen. The flight configuration of the unit is graphically displayed on the lower part of the screen. You will note that fighter gruppen are organised into three 'schwarme' of four aircraft. The name of each schwarme

leader, and the call signs of the other pilots, are identified. The actual formation of each schwarme is displayed (according to the assigned configuration in the task dialog). Bomber gruppen are generally formed from three ketten, comprising three bombers each. To assign yourself to a particular aircraft, simply select one from the list. You will note that your name replaces the name or call sign of the pilot that was there.

You may make last minute alterations to the flying configuration of the simulation by selecting the 'Sim Config' option at the bottom of the screen. See Chapter 2 Section 3 for more details. And, of course, you can click 'Back' to return to the campaign. Select fly to get into your cockpit! (If you have selected a Kampsgeschwader medium bomber squadron, though, you will be sitting in the gunner's position during the flight.)

When you enter the 3D you should get straight into the action. If you drift away and are not under immediate threat then hit the TAB key to enter four times normal acceleration. The auto pilot system will take over and guide you to the area where you should be.

When you decide to stop flying, hit Alt 'X' to return to the map and select the time Pause button. All plots on the map will have moved since you entered the 3d. At this point you could accelerate time again and choose to fly in any other situations that arise, but for the moment let us review our progress in the campaign.

PART 5

REVIEWS

Open the review dialogue by clicking the review icon on the main tool bar. This dialogue shows you a breakdown of Luftwaffe and RAF aircraft strengths and RAF target statistics (the same dialogue is available when playing as the RAF but from the RAF's viewpoint). The dialogue is broken down into pages. The strength and aircraft pages let you see how your crews are performing and show the current losses and replacements of your aircraft. The targets page is very important as it shows you how your attacks against target types are fairing. The claims page shows a breakdown of kills against the RAF and the enemy page shows an estimation of the current number of RAF fighters based on losses and manufacturing intelligence. Be aware that any numbers relating to claims against the RAF, aircraft availability and manufacturing rates are estimates and may vary wildly in accuracy!

MANAGING RESOURCES

This is not so much of an issue for the Luftwaffe as their manufacturing facilities are not under direct threat. However, it can become a problem if your aircraft are shot down in large numbers. You have the following dialogs accessed from the main tool bar to manage and view your resources

- **Aircraft Allocation**

This shows the current manufacturing output and which units are the next to be replenished.

- **Luftwaffe Resources**

Each page lists the number of aircraft in each Gruppe of each Geschwader. If the number of aircraft in a Gruppe is bracketed then that Gruppe is not available for duty in this period, either because it is already flying or has flown a mission, or because it is resting due to losses. This will have an impact on the number of raids generated by directives.

- **Geschwader list**

This lists Gruppen in detail according to the options you have chosen, for example listing by Geschwader type or Category.

DAY END REVIEW



Each 'day' ends at 22:00 hrs. The day end review screen will appear listing news items from each day. The news will usually be general assessments of progress so far and updates on the proposed invasion date.

Section Four

RAF CAMPAIGN TUTORIAL

COMMAND BRIEFING

- You lead RAF Fighter Command charged with the duty of defending the air space over the United Kingdom. Specifically you must defend your country from the invasion force building up on the continent of Europe. You must ensure that Fighter Command remains an effective force throughout the summer until mid September 1940 when bad weather begins to eliminate the risk of invasion.
- You have 53 fighter squadrons at your disposal: 34 have Hurricanes and the rest are equipped with Spitfires. All told, there are over 600 aircraft in your command. You are limited to scheduling missions for a maximum of 32 squadrons at any one time.
- In pursuit of your campaign objectives, you will respond to threats as they appear on the map display. This map shows the result of collating intelligence about enemy movements from various sources including the RDF and ROC.
- It is possible to define both patrol and intercept missions. Patrols can be redirected to threats when they are in the air. You can either design a mission from scratch personally or just set the overall parameters and let your staff complete the details using 'directives'. (In the following section we will generally call all missions patrols, for brevity.)
- You are cleared to fly missions in Spitfire and Hurricane fighters.

OVERVIEW AND RAF ORGANISATION

Your role as an RAF Commander is quite different from that of a Luftwaffe Commander. The RAF is on the defensive. You must react to incoming raids by scrambling fighters, yet always holding enough in reserve so that you have cover when you most need it. Unlike the Luftwaffe, the RAF plans few missions at the start of each time period throughout the day, other than standing patrols over convoys or other vulnerable assets. You'll scramble squadrons as and when you feel it necessary throughout the day.

It is expected that during the course of summer 1940 the Luftwaffe will be able to allocate up to 2000 aircraft to prepare for the invasion of England. They have

codenamed the operation 'Sea Lion'. Initially you can expect to be confronted by Junkers 87D Stuka dive-bombers and the formidable twin-engine Me110 fighter. Later in the campaign you will encounter heavier bombers like the Dornier 17, Heinkel 111 and Junkers 88. The single engine Me109 will act as escort to the bomber formations.

It is vital that you don't damage the integrity of Fighter Command by over committing your forces. Obviously it makes sense to respond to threats against Fighter Command assets. On the other hand, defence of other assets should be limited to the minimum that is deemed to be politically acceptable.

Fighter Command consists of four Groups: 10, 11, 12 and 13. Each group is assigned a geographical area rather than a specific set of squadrons. Squadrons can move from group to group to fulfil the objectives of Fighter Command. Although a squadron can have more pilots and aircraft assigned to it, a complete squadron in the air consists of twelve aircraft. You have 53 fighter squadrons at your disposal: 34 Hurricane and the rest are Spitfires. All told, there are over 600 aircraft in your command.

11 Group covers the south-east of England and so it is in the front line. 12 Group is in central England and 10 Group is to the south-west. Both these groups are actively involved in the Battle. 13 Group is stationed in the north of England. Squadrons in 13 Group do not take part in the Battle; they use the time in the north to recuperate.

10, 11 and 12 Groups are further divided into sectors, which are again based on a geographical area. Each sector has its own control room at an airfield in the sector from where ground controllers 'vector' RAF fighters to their intercepts.

Most of the intelligence about enemy movements is gathered by either Radio Direction Finding (RDF) methods or the Royal Observer Corps (ROC). RDF methods are now universally referred to as Radar. Fighter Commands had two coastal systems in operation during the Battle of Britain. The Chain Home (CH) system was capable of detecting aircraft at a distance of up to about 150 kilometres (90 miles), but this reduced by about 30% for an aircraft at 15,000 ft. The Chain Home Low system was developed to overcome this limitation. This type of radar had a range of about 30 kilometres (20 miles) at low altitude. Neither system could be used to track aircraft once they had passed by the system and flown inland. The job of detecting aircraft over England fell to the Royal Observer Corps. Groups of two or three people were stationed all over the south east of England and they reported all aircraft movements to a central station. This system worked remarkably well - however heavy cloud did have a large effect on its effectiveness. All the information generated passed through a filtering stage so that the information presented on the map was consistent and as error free as possible. This is the information that you will see presented on your campaign map.

RAF DIRECTIVES

Note that to avoid repetition, many of the topics covered in the Luftwaffe campaign in Section Three above are assumed when discussing the RAF campaign.

From the main menu screen, choose the Campaign option, and request a campaign as the RAF Commander during the 'Eagle Attack' phase of the battle.

At the start of the morning time period on August 12th 1940 you are presented with a directives dialogue box. You'll notice that it is substantially different from the Luftwaffe directives dialog. It is more concerned with defining how missions will be launched later if the situation and need arises, rather than specifying missions to launch immediately.

The Luftwaffe will be leaning towards raids into mainland England at the start of this 'Eagle Attack' phase. Radar installations, coastal airfields and docks will be their preferred targets.



SETTING UP PATROLS

In the 11 Group Squadron section there is a 'Holes in Radar' setting. This setting allows you to set aside a number of squadrons to patrol those areas in the coastal radar net that are not covered. If all of the Radar sites are working correctly then there are no holes in the coverage. One squadron will cover each hole in the net. Hit the tick to confirm your directives. The 'Proposed Patrols' dialogue is displayed, showing the patrols that are planned. Click on the tick box to get started.

RAF RESPONSE MARKERS

The battle is now under way. You will see your patrols represented on the map as one token for each squadron. These are representations of the tokens used by the RAF during the war. The top white bar shows the number of aircraft in the patrol, and the blue bar at the bottom shows the current altitude on thousands of feet or metres - depending on the default units setting. The square 'lollipop' above the top of the token displays the squadron number. There can be more than one lollipop above a patrol, as more squadrons are added. If you click on an RAF token the mission folder will be displayed and the proposed route to be taken by the patrol will be highlighted on the campaign map. A round lollipop indicates that only part of a squadron has been launched. The colour and number of lollipops correspond to the callsigns of the sections.



If you wish to see more closely where a squadron that has been scheduled for patrol is located, then highlight one of the patrols listed in the mission folder and click on

the 'squadron' button at the lower right corner. The squadron details are displayed as part of the airfield dialogue relating to where the squadron is located. Select the 'general' tab for the airfield at the top of the airfield dialog, and click on the 'centre' button at the bottom. The airfield will now be centred on your map display - and you can zoom in to see its precise location.

AUTHORISING SCRAMBLES

As the day progresses, the Radar net (assuming it has not been knocked out) will detect a build-up of Luftwaffe raids over France. Sometimes the raids will be detected late as they cross the channel into southern England. As soon as a raid is detected you will be asked whether you wish to set up an intercept patrol. Select the 'Ok' button, and a scramble response mission will be automatically generated as soon as possible - usually within a few minutes. The Task button will do the same thing but opens the relevant dialogue to edit the mission before it leaves the ground. We will learn more about this later.



There are also occasions when you will be asked if you wish to take over control of aircraft in intercept situations. At this stage you should decline the offer.

MISSION FOLDER


Open the mission folder on the main toolbar. Each line shows the details of an RAF patrol mission. The order number is a unique identifier for today's missions, starting with F001 identifying the first RAF patrol of the day. The squadron column displays the relevant squadron number and, in brackets, the number of aircraft from that squadron involved in the mission. The status field shows the current state of action of the squadron. If the status shows 'At 30 mins', then the squadron is at a low state of readiness, prepared for takeoff in thirty minutes. Some squadrons will be 'forming' after takeoff - in other words still manoeuvring into their patrol configuration.

If the objective is a place name, then the squadron's mission will be to patrol that asset or area. If the objective is a four character identifier, then the objective is a Luftwaffe raid. In the case of a raid, its currently known size and status are displayed along with the raid's target and status if it has been confirmed. Luftwaffe raids have an H prefix, and the three digit identifier gives the order of Luftwaffe raid detected during that hour of the day. For example, the third raid detected after 7:00 a.m. would be H703.



ALTERING MISSION PROFILES

Missions that have yet to take off can be re-'tasked' by selecting the task button at the lower part of the mission folder. Re-tasking allows you to alter the numbers of aircraft in a mission, the squadrons they come from, the location of the targets, as well as the fine details of fighter attack methods. It's a very precise tool. As an example, in the task dialog, find a squadron under either the Hurricane or Spitfire tab that represents part of the unit involved in the mission. Click on the name of the target for that squadron, and you will be offered to select a target on the main campaign map. If you click on any British asset or Luftwaffe raid displayed on the map, it will become the new chosen location for the highlighted patrol. Obviously the first type of mission will be an area patrol and the second an intercept against a raid. Select the tick at the top of the task box to approve the new target.



Once a mission has taken off, however, it can only be 'revector'd', or ordered to return to base 'RTB'. Revectoring a mission in flight allows you to alter the target. The easiest way to do this is to select a new target on the campaign map. A target can be any Luftwaffe raid. Patrols over radar will be automatically vectored against any threats that come close to the radar site. Patrols over other assets will only automatically vector to defend their asset. As a player you may decide that it is quicker to revector a patrol to a raid than it is to scramble an intercept from the ground.

ROUTES

You will find that the dialogs and controls relating to route management are very similar to the Luftwaffe but there are some differences. A special 'estimated location' waypoint marker is displayed on the map route for missions assigned to intercept an incoming raid. This shows the location where the interception is expected to take place given the raid's current course.

TRACKING RAIDS

As the campaign progresses and more raids are launched you will be put under increasing pressure. You must develop a strategic and tactical picture based on the events developing before you. There are different tools available to aid you in keeping track of the enemy raids:

1. Watch the map.

Always keep your eye on the campaign map. Raid icons, once raids are on the move, have large arrows next to them showing the last reported heading of the raid.




2. Use the intelligence teletype.

This provides the nerve centre for all intelligence information. After a time, the campaign map can become cluttered with Raid and RAF response markers. There's always the danger that as Commander you will lose track of a raid or underestimate the threat it poses.

3. Use the Hostiles List.

The hostiles list is a modern tool (unavailable in the 1940s) that helps you keep track of all raids and responses. Open the 'hostiles list' dialogue by clicking either on a raid token on the map or on the hostiles list icon at the left of the main toolbar.



The hostiles table lists all of the Luftwaffe raids that have been detected. Each line shows the current information that has been gathered about the raid. The columns at the end of each line display the number of RAF aircraft currently flying out to intercept the raid, the number currently in combat, the number returning to base and a running tally of losses for each side. Obviously a major raid with no planned response is potentially a very serious threat.

This list is very useful as it lets us see an overview of all the raids and therefore make sure that they all have adequate responses. Raids that are inbound or in the target area pose more of a threat to your assets than those that have dropped their bombs and are going home. Click on a raid and you can automatically 'authorize' an appropriate response to the raid. The fine details of the authorised response can be tuned in the mission folder, which is why the mission folder is displayed once the 'authorize' button is selected.

DEBRIEFING SORTIES

Once a squadron has returned to its home airfield, details of its sortie become available. Highlight the squadron in the mission folder and select the squadron button at the bottom right to display the squadron dialog. Click on the 'details' button to display the squadron diary and full details about the sortie just completed.

END OF A PERIOD

At the end of the morning period the directives dialogue will be displayed for the mid-day session. Pause the game briefly, so that you can review the outcome of the morning's action. Select the 'review' icon on the main toolbar. The review box contains all of the details about your current airforce strength.

The aircraft tab displays the numbers of damaged

and destroyed aircraft, and the assets list will show the accumulated damage to all major asset types. A glance at the most recent teletype output will also help you to keep track of the recent key events. You will need to use the information you have gained to help plan your strategy for the next session.

At the end of each day of the campaign - after the third period of the day - there will be a summary of important events and some video footage. Then it is on to the next day. Occasionally you will notice that you'll be offered to skip a particular session because of foul weather. Normally, you should do so. In bad weather it is unlikely that there will be enemy action, and you need to conserve your resources and gain some rest.



Asset	Assets	Damage	Enemy
Squadrons			
CDL A	5	5	14
CDL B	5	17	26
CDL C	5	5	13
Aircraft			
Current Assets	382	436	824
Full Complement	587	694	1384

DETECTING AND INTERCEPTING RAIDS

It is possible for raids to slip through the radar net, avoid detection or confuse controllers if:

- The radar picture is confused due to too many overlapping raids.
- A raid comes in at low level.
- The raid consists of few aircraft.
- Cloud cover obscures the raid from the Royal Observer Corp who then have to rely on sound location equipment.
- The raid splits in the target area.
- The raid uses a dogleg and does not reveal its intended target until the last possible moment.

MANAGING RAF RESOURCES

If you select the 'resource' icon in the main toolbar, you'll bring up the RAF resources display box. This displays ALL of the aircraft available to the RAF according to group - the major organising principle of RAF fighter command. Each group is divided into a number of geographical sectors, and you will see that the RAF resource list for each group is divided by sector. Each sector's squadrons are controlled from one sector control station, which is listed at the start of each row. If you look at the map of England at lower levels of zoom you will notice that the map is divided into the individual sectors, identified by a different sector letter. These are the sectors referred to in the resources listing. You can also identify the extent of the four major RAF groups, divided by solid black lines at the lowest zoom level on the campaign map.

During the battle, if the buildings housing your sector operations are knocked out then all airfields in that sector are affected until new operations can be established at a new location.

THE IMPORTANCE OF SQUADRON READINESS

There are various readiness states that a squadron can be at which determine how quickly the squadron can get off the ground (if at all) once they receive an order to scramble. The states are described below:

- **Released:**

The squadron has been released from duty for this period and is not expected to fly. The pilots will be resting and recuperating. While released, the squadron's morale will slowly increase, which will increase the squadron's category after a while.

- **At 30 mins:**

The squadron is ready to be called on to fly during this period. It will take 30 minutes to prep the aircraft when the order to scramble comes. It is still quite stressful for the pilots waiting for the call to arrive at any moment.

- **At 5 mins:**

The aircraft are fueled, armed and lined up with the pilots nearby. On the scramble order, it will take 5 mins for the pilots to get into the cockpits, start their engines and get away.


- **At 2 mins:**

The pilots will be sat in their cockpits with the engines running. You must be careful not to leave a squadron 'at 2 mins' for a great length of time as it uses valuable fuel and will tire the pilots.

Changing the state of readiness can have a major impact on the effectiveness of your fighters but you must ensure you do it in the right circumstances. For example, squadrons based to the North of London which are tasked with protecting the capital would be best kept at 30 mins or even released if the Luftwaffe are busy attacking targets along the Southern coast. Conversely, when London is being blitzed, those same squadrons should be kept at '5 mins'.

You can see the current readiness state of a squadron by viewing the squadron page of an airfield dialog. You can then request a new readiness state using the relevant control. The change will take time, so moving from 'At 30 mins' to 'At 5 mins' will take 25 mins. When you make the change it will say 'to 5 mins' to warn you of the transition. Requests to squadrons that are 'released' will not take effect until the next period.

If you click on the sector control station you will bring up the 'tote board' for that sector. This is an authentic representation of the style of display used by the RAF during this period. The lights show the readiness of each squadron in that sector.



MANAGING AIRCRAFT AND PILOTS

It is important to keep a watch on your squadrons. A squadron that is continually asked to fly missions without rest will suffer from low morale and fatigue. The squadron category (A, B, C) gives you an insight into the fighting ability of a squadron. When this reaches Category 'C' it is definitely time to pull the squadron from combat to rest.

Use the Squadron List dialogue accessed from the main tool bar to view the details of all your squadrons. The list of squadrons can be filtered using the controls at the top of the dialog. Click on a squadron line and open its details dialog.

At the top of the dialogue page you will see an option for requested readiness that you can use to change the state and below it a report of the current readiness. Setting the squadron readiness to 'released' means that the squadron is not expected to fly and can take time out to relax. They will slowly recuperate.



The 'Rest if:' option at the top of RAF directives automates this process. Squadrons are released from duty if their category or number or aircraft drop below the level you specify.

Each time a pilot is lost he is replaced. But, you will notice that the overall average skill and morale of the squadron will drop to represent the arrival of an under-trained novice.

The morale of the squadron leader has a great impact on the remainder of the squadron. While flying, the rest of the squadron are concentrating on formation flying with the leader, so it is down to him to lead them into the best position and spot the enemy.

TRANSFERRING SQUADRONS

You will find the need to transfer squadrons to different airfields during the course of the campaign. There are various reasons for doing this:

- The current airfield may be too badly damaged to handle the squadron.
- The squadron is fatigued and must be moved out of the combat area for rest.

- There are not enough squadrons in a particular sector to deal with concentrated raids against it.
- The current airfield is too far forward and the early warning system is down, and hence it is in danger.

There are 2 main ways of transferring a squadron – by using the Directives dialogue or the Airfield dialog.

- **Directives:**

The Front Line Airfields option at the top of the dialogue allows you pull your squadrons back or move them forward through 3 bands of airfields: North London, South London and Coastal. The default is 'Coastal' airfields. If you change this to 'South London' then any squadrons on coastal airfields will be pulled back and relocated at available airfields in North and South London. South London is the new front line.

This is a dramatic and sweeping change so use it in the right situations. For example, make South London the front line if radar is out and Coastal airfields are getting hammered, or if London is being raided.

The transfers will take place at the end of the current period, so during the period the squadrons will still be available for duty.

- **Airfields Dialog:**

At the bottom of the squadron page of this dialogue are two combo boxes. You can select a Group and then select an airfield within that group to transfer to. You can only move to airfields that have space to accommodate further squadrons. There are also restrictions when trying to move squadrons out of Group 10 and 12, as the controllers for those groups must have a minimum number of squadrons available at all times.

Any requested transfers will take effect by the start of the next period.

The squadron will still be available for duty during the current period.

ASSETS AND PRODUCTION



To get an overview of the state of your assets open the asset list dialogue from the main tool bar. This is similar to the Luftwaffe's target list.

- **Airfields**

The airfield type shows the command that the airfield comes under. Fighter Command airfields are the most important as these are used by your RAF fighters.

Naval types come under the Jurisdiction of Coastal command. Others are Bomber command or training units only used by your fighters when making emergency landings. The Luftwaffe acting on poor intelligence will often attack your Naval and Bomber airfields. This is good and bad – it means less attacks against fighter stations but the loss of other staff and resources.

- **Docks**

An industrial and commercial target. Docks are not repaired within the time frame of the battle. You cannot simply hold your fighters back and let the docks take a pounding. If too much damage is sustained then the Prime Minister and his cabinet may well step in to order your replacement as Commander.

- **Convoys**

The coastal transports were kept in operation in the early phase of the Battle to show to Germany and the world that England stood defiant in the face of the Luftwaffe. Towards the end of August it was accepted by those in command that the battle for the Channel was lost. Ships were no longer paraded up and down the south coast. The cost in lives of crewman and pilots, and of aircraft and ships was high.

As with Docks, if you neglect to provide adequate cover for the convoys then your removal will be requested by the Government.

- **Radar**

If Radar is knocked out then mobile units can be brought in to cover the gap but they are not as efficient.

- **Factories**

The most important factories are those used to manufacture components for fighter aircraft and those that actually assemble the finished fighters. The number of fighters that can be assembled is restricted by the output from the component factories. The vulnerability of these sites is recognised early in the battle and preparations are made to disperse production throughout workshops in the nearby areas.

Open the asset list and view the Factory page to see all your factories and their production type. Find the Woolston Supermarine factory and open its dossier by clicking it then the details button. The dossier will tell you the current weekly production capacity for that factory. Damage to the factory will diminish its output or stop it all together.

Other factories make components for or assemble bombers which play no part in the battle. Finally, there are Industrial factories that play no part in aircraft production but are a vital part of nation's resources.

THE ULTIMATE OBJECTIVE

Operation Sealion, the invasion of Britain, is planned for September 1940. The date is flexible based on the success of the Luftwaffe. If Luftwaffe air superiority is not secured by September 15th then the invasion will be postponed indefinitely.

German command requires that the RAF is diminished as a fighting force and has insufficient fighters to counter the Luftwaffe over the Channel and landing areas. If the Luftwaffe believes that they have accomplished this then the invasion date may be brought forward.

You will be informed of these events in the End of Day news.



Chapter 5 MULTI-PLAYER

Overview

Multi-Player mode allows you to fly Battle of Britain missions with up to seven other flyers over the Internet or a network, and with another player over a direct serial or modem link. In multi-play you can play Death Match, Team Play or several Quick cooperative or adversarial missions. You can select any of the available aircraft that are flyable in the single player mode, although you cannot take the role of a gunner. The dynamic campaign is NOT a multi-player option.

PRELIMINARY NOTES

Some things to remember for all multi-player games are as follows:

- It is a good practice to reboot your computer prior to playing online especially if you have been on the Internet or running other programs for an extended period of time. Web browsers often keep your online history stored in memory, which sometimes can reduce your available RAM to play the game.
- Remove any programs from memory running under windows that aren't absolutely essential to running your system (e.g. ICQ, Real Player etc).
- When using any third party voice communications program (e.g. Roger Wilco, Battlecom, and Teamstream) try not to activate voice communication when a player is trying to join or when you are waiting to enter a mission.

STARTING UP MULTI-PLAY

Choose the Multi-Player option on the Main Menu. The first Multi-Play screen asks you to select your multi-play service. At this point you must select a connection type:

- **IPX Connection for Direct Play**

You must have an IPX/SPX-compatible protocol loaded under Windows 95/98 (it comes with Windows 95/98). To identify if you have this loaded select the "START" menu on the Windows desktop and choose SETTINGS followed by CONTROL PANEL. Then select the NETWORK icon.

Scroll down in the box to see if any kind of IPX/SPX-compatible protocol is listed.



- **Internet TCP/IP Connection for Direct Play**

An Internet service provider (ISP) or LAN with TCP/IP protocol is required. Two to eight players can play over the Internet (bandwidth permitting). All players should exchange IP addresses in case you want to take turns being the host. Each player wanting to join an Internet TCP/IP connection needs to know the host's IP address.

Typically players will meet in some sort of chat zone on the Internet and exchange IP addresses prior to connecting. Determine who has the fastest connection speed and computer and that person should make the best host. It is important to remember to completely exit your chat environment and all other unnecessary software prior to loading the game.

By far the most common problem in getting a connection on the Internet is incorrectly copying the IP address. Make sure you double check with your partner prior to trying to connect.

To identify your own IP address run the WINIPCFG.EXE located in your Windows subdirectory (i.e. c:\windows\WINIPCFG.EXE) while connected to your Internet Service Provider (ISP). If you do not have a permanent IP address you will need to find out your IP address every time you reconnect to your Internet Service Provider. Make sure whoever you're playing with understands this as well. If you are playing over a LAN (Local Area Network), then you won't need to know the IP address of the host computer - games can be detected and listed automatically.

- **Modem Connection for Direct Play**

A maximum of two players can connect via a 28,800-baud modem (or faster). Make sure both players' modems are configured correctly and set at the highest speed for their connection. Prior to connecting both players need to agree which computer will serve as the "Connect" computer and which will "Answer" on the connection. The player with the faster computer would be best suited for the host (Answer) computer.

Both players should be aware of which Comm Port their modem is attached to and should know the fastest baud rate of their modems. It is also a good idea to have each other's phone number at hand. If you have any problems, you can access the Windows 95/98 (Modem) Properties by clicking CONFIGURE on the Modem screen. If your modem is not configured correctly, please consult your modem and Windows 95/98 documentation (make sure you don't have multiple modem drivers loaded). If you've made any changes to your settings, restart Windows before trying to connect. This ensures the changes are saved.

- **Serial (NULL MODEM) Connection for Direct Play**

A maximum of two players can connect via a Null Modem cable (not to be confused with a serial cable) to active serial ports of each computer. In some cases you may have to install software or drivers to use your null modem cable. Consult your computer's documentation for more information.

You need to know what serial (COM) port that your null modem is connected to with both computers. Many computers have labels (i.e. 1=COM1, 2=COM2) or you can refer to the documentation that came with your computer which may have diagrams with the communication ports labeled.

If you can't connect check for the following:

- Port conflicts - use the Windows Device Manager to view devices by connection. Make sure only one device is listed next to the COM port you connected the cable to. Device Manager can be found via the "START" icon on your desktop. Look under "SETTINGS" then "CONTROL PANEL" followed by the "SYSTEM" icon. Check with your system manufacturer for help with port conflicts.
- You can also try selecting another COM port and/or a lower baud rate.

Once you have chosen a suitable connection you have two options at the bottom of the screen - Create Game and Join Game.

CREATE GAME

The Create Game selection is found at the bottom of the first Multi-Play screen. You can create a game either by highlighting a service and clicking on this button, or double clicking on a service. Creating a game is synonymous with being the host. Once you select Create Game the game selection screen will appear. This allows you to configure the type of game that you want and to set session parameters. The various parameters are:

- **Player name**

This allows you to enter the name you wish to be known as in the game. It is particularly important to use this if there are going to be more than two players.

- **Session name**

This is the name that will appear to the other players trying to join your game.

- **Password**

This allows you to set a password to allow for private games or those that you allow in via the Visitors' Book (see below).

- **Data Rate**

This affects the amount of data that is transmitted and received. It will initially be set to a level that is suitable for the service provider that has been chosen. If difficulties arise in creating and playing games then try a lower data rate. High data rates can be used if you have good connections to other players. Ultimately you will want to use the highest data rate level that you can reliably play the game at. Some trial and error may be needed to find the right data rate for your connection.

Data rate does NOT affect 3d-frame rate. However, higher data rates lead to a more accurate simulation.

- **Select side**

In Team Play and Quick missions you can select whether you want to play RAF or Luftwaffe aircraft. You will be limited to that side's aircraft for the game. In Death Match all flyable aircraft are available to be chosen.

- **Game Type**

This determines the type of missions that can be played. Death Match and Team Play games involved only human controlled aircraft.



Several different starting positions are available:

DEATH MATCH SCENARIOS

Implode:	Players are headed directly into the centre of a circle of players.
Pairs:	Players start out side-by-side heading in the same direction.
Wheel:	Players are heading around in a circle.
Same altitudes:	Players are going head-on at the same altitudes.
Different altitudes:	Players are going head-on at different altitudes.
Explode:	Players are heading directly away from a circle of players.
Implode/Explode:	Implode and Explode are selected at random.
Flyby:	Players start side-by-side heading in opposite directions.

TEAM PLAY SCENARIOS

Flights no advantage:	Opposing flights heading towards each other.
Flights Luftwaffe advantage:	Luftwaffe aircraft start behind RAF aircraft.
Flights RAF advantage:	RAF aircraft start behind Luftwaffe aircraft.
Flights random advantage:	Advantage of RAF or Luftwaffe selected at random.
Elements scattered:	Groups of two players start out together, but scattered from other two player elements.
Elements close:	Groups of two players start out together, but close to the other two player elements.
Singles Implode:	Players are heading directly in the middle of the circle of players.
Singles Explode:	Players are heading directly away from the circle of players.

QUICK MISSIONS

Allows you to play with other players and AI aircraft in fifteen of the quick shot missions available in the game. You can play cooperatively or head to head with players and AI aircraft from both sides. Choose any of the available missions on the quick missions screen and select Ready Room to continue.

JOIN GAME

The Join Game selection at the bottom of the service provider selection screen allows you to join a game created by another host. What happens depends to some extent on your connection type:

- **IPX connection (see also "Selecting a connection type" above)**

There is no extra information required for an IPX LAN connection. Two to eight players can "join" a game. A list of network games available will appear. Select the one you wish to join by clicking on it and then clicking select. You will then be taken to the game selection screen. If no names appear under the session list, then no games are available.



- **TCP/IP Connection (see also "Selecting a connection type" above)**

A windows dialogue box will appear asking you for the name or IP address of the computer that is hosting the game. Enter the address and click on OK. If you are on a LAN, leaving the address blank will search the network for available games. Once your computer has connected to the host a list of games will appear. Select the one you wish by clicking on the name and then clicking select. You will then be taken to the game selection screen.



- **Modem Connection (see also "Selecting a connection type" above)**

A windows dialogue box will appear allowing you to configure your modem and provide the telephone number of the computer you wish to connect to. Once you are satisfied with your modem configuration and have entered the phone number click on Connect. The game will then attempt to connect you to the host computer and if successful you will be taken to the game selection screen.



- **Serial Connection (see also "Selecting a connection type" above)**

After selecting "Serial Connection For Direct Play" a windows dialogue box will appear allowing you to configure your serial connections.

Your port settings, apart from Port, must correspond with the host's settings for the game to connect. Once you are satisfied click on OK. The game will then attempt to connect you to the host computer and if successful you will be taken to the game selection screen.



GAME SELECTION SCREEN

Once you have connected to the host computer you will be taken to the game selection screen. This allows you to view the game setup that the host selected. You can also enter your name and, if the game is Team Play or Quick Mission, select the side you wish to play on. If the game has a password that you don't know, you can request entry by clicking on the button to add your name to the host's Visitor's Book. If the host decides you can join then you will be able to join after a short period of time.

READY ROOM

If you have selected either Death Match or Team Play and are ready to join the game click on continue and you will be taken to the Ready Room Screen.

Whether you have created or joined a game, you will eventually end up in the Ready Room. The Ready Room Screen displays players currently in the game, along with aircraft chosen and their score. It also allows you to chat to other players.



In Team Play and Quick Missions, RAF players are listed first, followed by Luftwaffe players. The players' names are followed by the aircraft they have chosen, the game screen they are currently in and their score.

To chat to other players type your message in the box and press Return. In Team Play or Quick Mission games you can choose to chat either to your side only or to all players by clicking on the appropriate tick box at the top of the screen. To chat to an individual player, click on his name. The name will highlight and your messages will be sent only to that player until you click on another name or choose everybody on your side only.

There are a number of options at the bottom of the Ready Room screen, and some of them are only available in certain circumstances,

for instance when you are a game host:

- **Quit**

Quit the game and return to the main user interface screen.

- **Fly**

In Death Match and Team Play games when everyone is ready the host can click on Fly and the game will begin. If a player joins the game while the other players are flying then he will be able to click on Fly to join in.

- **Frag**


In Quick Shot mission games, clicking on Frag will take the player to the Frag screen. Here you will be able to choose which aircraft position you wish to fly. Chat facilities are available as in the Ready Room screen, but messages will be sent to all players. To choose an aircraft to fly, click on the pilot name. You



cannot choose an aircraft that has already been chosen by another player. To unassign yourself from an aircraft click on another aircraft or click on the unassign tick at the top right of the page. When all players have chosen their aircraft the host can click on Fly and the game will begin. A player may join a game after it has begun, while other players are flying. Simply choose an aircraft in the Frag screen and select Fly to join in. Aircraft that have been killed will be labelled as 'KIA' and cannot be selected to fly in.

- **Visitors**

A new player wanting to join the game, but who doesn't know the password, should click on "Add my name". A message will appear in the host's chat window indicating this request. The host should first click on the Visitors Book and then on the Status of the player - which will be



Excluded. The status will change to Accepted. The new player is now able to join the game. The new player should be patient as the host may be flying a mission and may not be back in the Ready Room for some time.

- **Set Up**

There is no chat available while you are flying a mission, however you can set up customized pre-set radio messages. Players can edit radio messages that they wish to send to other players while flying a mission. To edit the radio messages click on Setup. The Setup screen allows you to edit the messages or to reset to the default messages if you wish. To



edit a message click on it and type in the new message. Setup will be saved when you leave the game and kept for future games. Later on in this chapter we will discuss how to use the messages when flying a mission (Check under 'Multi-play In Flight Options' below).

Setup also allows a player to choose their aircraft in deathmatch or teamplay games. In teamplay games, the player is limited to aircraft of their own side i.e. Spitfire and Hurricane for RAF; ME109, ME110 and JU87 for Luftwaffe. In Deathmatch games players can choose any aircraft.

- **Edit Mission**

In Quick Mission games the host can alter the mission setup by selecting Edit Mission. For instance, the scenario or the time of day can be changed. Once you are satisfied with the mission click on Ready Room to return. If the host edits the mission then when he returns to the Ready Room any players in the Frag screen will be returned to the Ready Room and must reselect an aircraft to fly. Guests can click on Brief to view the details of the current mission if the game is a quick mission.

- **Config**

Players have access to the PC and Sim Config screens. However, only the host controls the options that affect game difficulty.

MULTI-PLAY IN FLIGHT OPTIONS

Once you have selected Frag or Fly, once a mission has commenced there are several options unique to multi-play:

- **Radio Messages**

Under the Radio Communications menu (press **[R]** when in the cockpit) there is an option to send pre-set radio messages to other players in the

game (see Messages above). Comms Msg Recipient and Comms Message are two additional options. Comms Msg Recipient allows you to select whether to send messages to all players or only to members of your team. The default selection is to all. The selection will stay the same until it is changed or a new game begins. Comms Message will display a list of your pre set messages. Selecting the numbered message from the list will send that message to everybody on your team depending on the Comms Msg Recipient.

- **Resurrection in Multi-Play**

If a player is killed then he can wait until his aircraft resurrects on its own or he can press [S] to force a resurrection to take place. This is not available immediately; the player must wait for a few seconds before being able to resurrect. The [S] key is only available in Death Match and Team Play games.

When a player dies in Death Match or Team Play games he will be resurrected and his aircraft will start to spiral upwards in autopilot mode. To retake control of the aircraft press [J]. If you do not press [J], control will automatically handed over at 10,000 feet or 2,000 feet above the highest aircraft.

In Quick Mission Games a player who has died can exit the game and go to the Frag screen to choose an AI aircraft to take over. If there are no more available aircraft then the player will have to wait at the Ready Room for the game to end.

ENDING A MULTI-PLAY GAME

If the host chooses to end the game then all players will be taken to either the Debrief screen for Quick Missions or to the Ready Room screen.

If a player dies in a Quick Mission game then he will be taken to the Ready Room screen. Here he can go to the Frag screen and select an available aircraft and rejoin the game in that aircraft, taking over the seat from the AI pilot.

Players who exit the game can rejoin as long as the host keeps the game running.

MULTI-PLAY DEBRIEF

In Death Match and Team play there is no Debrief. The scores of each player will be displayed in the Ready Room.

For Quick Missions the Debrief will show all items destroyed. Players can then go to the Ready Room screen for another game.



Chapter Six

FLYING THE AIRCRAFT IN BATTLE OF BRITAIN

Overview

This chapter begins with a description of the controls available while flying the aircraft in this simulation. Section Two describes how to access 'interactive' cockpits in the simulation, where the player is directly controlling the equipment in the cockpit of the flyable planes. Section Three gives an analysis of the engines and propellers on Second World War fighters and bombers. Section Four details how to start an aircraft's engine, taxi down a runway and take off. Section Five follows various solo flying and formation flying tips. Section Six deals with the various combat manoeuvres that the player will need to learn to become a proficient pilot. The final section provides technical specifications of the fighters and bombers in the game.

Section One

THE AIRCRAFT CONTROLS

The five aircraft that can be flown in Rowan's Battle of Britain have very similar controls, these being relatively simple compared with modern fighter aircraft. The flight controls are used for directing the aircraft in the air or on the ground whilst taxiing. The engine controls are used to set the power of the engine and the pitch of the propeller blades. A further set of engine controls is provided for engine starting and stopping. The more complex engine controls can only be used with the 'interactive cockpit', and otherwise will be controlled automatically if the Engine Management preference is set to Auto. The Messerschmitt Bf110 has twin engines and so all of the engine controls appear twice in the cockpit, one set for each engine.

All of these controls may be identified on the separate keyguide that accompanies this package. Further points about the control setup on your PC are made in Chapter Two Section Two (Controller).

FLIGHT CONTROLS

The aircraft in the game can be flown using just the keyboard, but it is strongly recommended that a joystick is also used. Many of the controls can also be operated using the interactive cockpit.

- **Elevator and Ailerons**

These are used to pitch and roll the aircraft. The arrow keys can be used for aileron and elevator control. However the use of a joystick is recommended. Battle of Britain uses the Windows joystick configuration and the simulation can be played using the default options. To fine tune control input go to the Controller page in Chapter Two Section Two.

- **Rudder**

The rudder yaws the aircraft in flight, or steers the rear wheel when taxiing. Crude rudder control is provided by the number pad **[ins]** and **[Delete]** keys. Finer control is available if you use dedicated rudder pedals or a twist joystick. **[K]** and **[Shift][K]** increase and decrease the keyboard sensitivity.

- **Flaps**

Flaps can be set to slow the aircraft down ready for landing. Press the **[F]** key to retract the flaps and the **[V]** key to extend them. The Spitfire has only two settings for flaps (extended or retracted). All other aircraft have 4 stages (retracted, 1/3, 2/3, full). Assuming you start with flaps retracted, you must press **[V]** three times to reach full extension.

- **Undercarriage**

The undercarriage can be retracted or extended during flight by pressing the **[G]** key. Warning - attempting to extend the undercarriage at high speed may cause the hydraulic or mechanical systems to fail.

- **Independent wheel brakes**

The main wheels have individual brakes **[.]** and **[.]**. These brakes, one on each wheel, can be used for slowing the aircraft down once on the ground, and can also be used individually to aid steering. The brakes should be used with care at high speeds as severe braking can cause the aircraft to fall forward onto its nose.

- **Elevator Trim**

The trim allows the pilot to set the position of the elevator when the control stick is released. This means he can set the trim to keep the aircraft level, for his current speed and altitude, and then let go of the stick. This way, he does not have to hold the control stick in one position for long periods just to keep the aircraft flying straight and level.

Ctrl **End** adjusts the trim upwards, while **Ctrl** **Home** adjusts the trim downwards. The trim can be reset to a neutral position using the keys **Alt** **End**. Alternatively you can use joystick buttons [5], [7] and [10] respectively.

- **Rudder Trim**

The rudder trim works in the same way as the elevator trim, but allows the pilot to take his feet off the rudder pedals and continue in a straight line. It is generally used to counteract the effects of the engine torque and slipstream under different flight conditions, such as climbing, cruising and diving. Some aircraft such as the Bf109 do not have rudder trimming and therefore the pilot has to press one or other rudder pedal throughout the flight.

Ctrl **Delete** adjusts the rudder trim to the left, while **Ctrl** **Page Down** adjusts the rudder trim to the right. The trim can be reset to a neutral position using the keys **Alt** **End**.

- **Dive Brakes**

These can be extended on the Ju87 to produce extra drag on the wings and maintain the correct speed during a dive bombing attack. **D** will toggle between extended and retracted dive brakes on the Ju87 only.

- **Emergency Undercarriage**

Lowering can be attempted if the undercarriage cannot be extended using the normal control. This could be due to a number of reasons. The undercarriage may have been damaged by bullets from enemy aircraft or Anti Aircraft guns. An attempt may have been made to lower the undercarriage at very high speed. Or the engine may not be providing enough hydraulic pressure to lower the wheels. The emergency lowering system typically consists of a cylinder of compressed gas that can be released into the undercarriage hydraulics system, and may be able to force the wheels down. The system can only be used once. **Ctrl** **G** releases the emergency cylinder.

- **Canopy**

The canopy can be opened or closed during flight to allow the pilot to move his head outside of the cockpit and look along the side of the long nose and engine. The Bf109 and Bf110 have hinged rather than sliding canopies and therefore trying to open the canopy will result in them being ripped off by the flow of air past them.

ENGINE CONTROLS

- **Throttle**

The throttle provides control for selecting the desired engine power. The number keys give throttle control from 10% [1] through to 100% [0]. The [+] and [-] keys thereafter give fine control with changes in increments of 1%. The Bf110 has two throttle levers, one for each engine. These can be controlled either together or individually. Pressing [E] will cycle through the available engine to control - both together, port engine only, starboard only.

- **Propeller Pitch**

The propeller pitch control alters the angle of the propeller blades. It can be used manually, just like the gearbox in a car to maintain the correct engine speed, or controlled automatically by the computer. Decreasing the prop pitch increases the RPM and vice versa. [Shift] [9] gives minimum RPM by setting the prop pitch to its maximum angle. [Shift] [0] gives maximum RPM by setting the prop to its minimum pitch angle. Similarly, [Shift] [-] increases the pitch and decreases the RPM. [Shift] [+] decreases the pitch and increases the RPM.

- **Automatic Boost Control Cutout.**

If the engine is run at full power for any length of time, the engine temperature will rise and permanent damage will be caused to the engine. If the temperature gets too high, there is a chance of the engine ceasing completely. In some aircraft an automatic system limits the setting of the throttle (to 90%) to prevent the engine overheating. Other aircraft have a gate in the throttle quadrant, or a piece of wire which limits the movement of the throttle lever. The pilot can override this system by using the Automatic Boost Control Cutout, or pressing [0] to push the throttle fully forwards (through the gate, or breaking the wire) and getting 100% power.

ADVANCED ENGINE CONTROLS

These controls are only available when the interactive cockpit is engaged.

- **Magneto**

The magneto provides the electrical power to the spark plugs in each cylinder of the engine. Each engine has two magneto circuits consisting of the engine driven magneto connected to a set of sparkplugs. Should one circuit fail to work, the second circuit will keep the engine running, although at a little lower performance as there will only be one spark in the cylinder rather than the normal two. Each circuit can be switched on or off independently but both should be turned on for engine starting.

- **Fuel cock**

The fuel cock is used to select the fuel tank from which fuel is delivered to the engine.

- **Primer pump**

The primer pump is used to squirt neat fuel directly into the cylinders of the engine to enable the engine to be started from cold. A cold engine will require about 3 strokes of the primer pump before attempting to start it.

- **Starter button**

The starter button works differently depending on whether the aircraft is British or German. The Spitfire and Hurricane use an electric starter motor, just like a car, to rotate the engine up to speed. This is operated by pressing the starter button until the engine fires, and then releasing. The German aircraft use an 'Inertia starter' which consists of a large flywheel that is rotated by hand or by an electric motor. When the starter handle is pulled out, the motor is used to accelerate the flywheel for approximately 10 seconds, until it has enough energy to start the engine. Releasing the starter handle connects the flywheel to the engine and the inertia it has from spinning is used to start the engine rotating.

THE MAJOR FLIGHT AND ENGINE CONTROLS

		Keyboard	Joystick	Interactive Cockpit
Elevator		&	✓	✗
Ailerons		&	✓	✗
Rudder		&	✓	✗
Throttle	(10%, 20% 100%)	to	✓	✓
	(1% Up and Down)	&	✓	✓
Prop Pitch	(Max. & Min)	&	✓	✗
	(Up and Down)	&		
Cycle Engines	(Bf110 only)		✗	✗
Elevator Trim		&	✗	✓
Rudder Trim	(Where Available)	&	✗	✓
Gear	(Retract / Extend)		✗	✓
	(Emergency Lower)		✗	✓
Lower Flaps	(Raise and Lower 1 stage)	&	✗	✓
Canopy	(Open / Close / Eject)		✗	✓
Dive Brakes	(Extend / Retract - Ju87 only)		✗	✓
Wheel Brakes	(Left and Right)	&	✗	✗
Fuel Gauge Selector Switch			✗	✓
Cheat Lift	(1,000 ft)		✗	✗
Spin Recovery			✗	✗
Keyboard Sensitivity	(Up and Down)	&	✗	✗

Section Two

THE INTERACTIVE COCKPITS

The interactive cockpit allows the player to control various aircraft devices and engine settings, such as those mentioned above under advanced engine controls. It also gives you the experience of controlling an actual World War Two aircraft in an authentic manner. The interactive cockpit will only work if the Engine Management option is set to Manual in the flight preferences.

- To activate the interactive cockpit press the right mouse button. This will bring up a white mouse pointer.
- To activate switches, place the pointer over the switch, and press the left mouse button.
- To push a button, such as the starter motor button, place the pointer on the button and hold down the left mouse button.
- Levers, such as the throttle lever or propeller pitch control, can be moved by clicking the mouse on the handle of the lever and moving the mouse up or down while holding down the mouse button.
- Wheels, such as the elevator and rudder trim wheels can be used in a similar way. Hold down the mouse button and move the mouse left and right or up and down as appropriate.

The interactive features in the cockpit cannot be used while the game is paused.

In Rowan's Battle of Britain there are five aircraft that you can fly, and each one has its own interactive cockpit.

Appendix One at the back of this manual shows the cockpit layout for each of these five aircraft (Spitfire, Hurricane, Stuka, Messerschmitts 110 and 109).

Section Three

ENGINES AND PROPELLERS

This section deals with the engines and propellers on the major aircraft in the Battle of Britain simulation.

THE ENGINES


The 5 aircraft available to fly in the game are all powered by water-cooled 12 cylinder Vee Supercharged engines. The Spitfire and Hurricane are both fitted with a Rolls-Royce Merlin II or Merlin III. These two models differ only in the details of the propeller shaft, the former for use with a de Havilland 2 pitch propeller, and the latter for use with the Rotol constant speed propeller. The Messerschmitt Bf109 and Bf110 are both fitted with Daimler-Benz DB601A engines and the Junkers Ju87 uses a Junkers Jumo 211A.

The details of these engines are as follows:

Engine	Rolls-Royce Merlin II/III	Daimler-Benz DB601A	Junkers Jumo 211D
Capacity	27 litres (1648 in ³)	33.9 litres (2,069 in ³)	35 litres (2,135 in ³)
Rated Altitude	16,250 ft (5,000 m)	14,800 ft (4,500 m)	5,000 ft (1,500 m)
Rated Power	990 HP	1,020 HP	1,150 HP
Rated Rpm	2600	2,100	2,100
Maximum Power	1,020 HP	1,175 HP	1,200 HP
Maximum Rpm	3,000	2,400	2,400
Supercharger	Single speed	Single speed	Two-speed
Fuel Delivery	Gravity fed carburettor	Direct fuel injection	Direct fuel injection

A normally aspirated engine, with no supercharger fitted, would produce maximum power at sea-level, but the available power would decrease with increasing altitude due to the reduction in air density. A supercharger draws more air into the cylinders and allows the engine to produce more power at higher altitudes, but also reduces the power available at sea-level as a certain amount of energy is required to drive the supercharger.

Spitfire Engine Power



• The Carburettor and Negative G

In the British engine, the fuel was delivered to the engine cylinders via a gravity fed carburettor. In order to maintain a continuous supply of fuel to the engine, it was necessary for the engine to be under conditions of positive G. In other words, if the pilot of a Spitfire or Hurricane were to try to fly the aircraft inverted, the carburettor would almost immediately cease to supply fuel to the engine and power would be lost. The same thing would happen if the pilot was flying straight and level and pushed forward rapidly on the control stick in order to enter a dive. In this condition, the centrifugal force due to the aircraft pitching downwards, would lift the pilot out of his seat and force his body up against the shoulder straps of his harness. Exactly the same thing happens to the fuel in the tanks and in the carburettor, and the engine will lose power for a few seconds, until positive G is restored.

This undesirable feature was not present on the German engines as they used direct fuel injection to deliver the fuel to the cylinders rather than a carburettor. This allowed the pilots of the Messerschmitt Bf109 to escape a pursuing Spitfire by pushing forwards on the stick and entering a steep dive. If the pilot of the pursuing aircraft were to do the same, he would lose power and this would allow the

German pilot to gain some distance from his attacker.

- **Throttle Settings and Engine Limitations**

The recommended throttle settings and engine limitations for various flight conditions are given below. The figures quoted are appropriate to the Rolls-Royce Merlin engine, but the throttle settings are consistent for all the flyable aircraft featured in the game.

ENGINE LIMITATIONS				
	Time Limit	Throttle	R.p.m.	Boost
MAX. TAKE-OFF TO 1,000 FT	1 MIN.	100%	3,000	+6 ¹ / ₄
MAX. CLIMBING	1 HR.	90%	2,850	+4 ¹ / ₄
MAX. CONTINUOUS	----	75%	2,650	+3 ¹ / ₂
COMBAT	5 MINS.	100%	3,000	+6

Note: +6 lb/sq.in. combat boost is obtained by operating the boost control cut-out.

Exceeding these limitations will lead to excessive use of fuel, and if Manual Engine Management has been selected in the Flight preferences (see Chapter Two Section Three), then the engine may overheat and suffer permanent damage as a result. These limitations are advisable for an fully serviceable, undamaged engine. If an engine has been damaged as a result of gunfire or overheating, then the pilot should be more conservative when considering the limitations of the engine.

THE PROPELLERS

During World War I, aircraft used fixed pitch wooden propellers. These were easy to manufacture, as they contained no moving parts, but were only truly efficient under one set of flying conditions. The propellers would typically be designed with a blade angle which gave them the best efficiency in the cruise condition. This made for good fuel economy and high speed when cruising but meant that during take-off and climb, the propeller and engine were not working at their optimum efficiency. In order to improve this deficiency, propellers were developed in which the angle of the blades could be changed in the air. This means that the pilot can set the propeller blades to an angle suitable for take-off, thereby leaving the ground in as short a distance as possible. Once in the air, he can reset the propeller blades to an angle suitable for cruising. The following types of propellers were fitted to the aircraft used in the Battle of Britain. All early Spitfires and Hurricanes were fitted with two-pitch propellers, but were later upgraded to use constant-speed propellers. The two Messerschmitts had a

variable pitch propeller, and the Ju87 Stuka used a two-pitch propeller similar to that of the early British fighters.

- **Two-Pitch Propellers** (*Early Spitfires and Hurricanes, and Ju87*)

These propellers have two settings, Fine and Coarse. General speaking, the fine pitch is used for engine starting, taxiing, taking off and landing. Once in the air, leaving the propeller set to fine pitch would result in the engine speed increasing above the allowable range. The pilot should therefore select the coarse pitch which allows the aircraft to climb, cruise and engage in combat, while using the normal range of engine speeds. An additional feature of this type of propeller is the ability to use effective windmill braking. This involves throttling back the engine and selecting the fine pitch on the propeller control. This will cause the propeller to spin around rapidly in the airflow, and in turn drive the engine to high speeds. This allows the pilot to use the engine braking effect of the large engines to produce large amounts of drag on the propeller and slow the aircraft down.

- **Constant-Speed Propellers** (*Later Spitfires and Hurricanes*)

This type of propeller will automatically adjust the pitch of the blades in order to maintain the engine speed at a specified value via a small engine mounted hydraulic pump. As the engine speed increases, so does the pressure produced by the pump, and this pushed oil into the propeller where it moves a cylinder and increases the angle of the propeller blades. At the new increased pitch, the blades produce more thrust, but also more drag, thereby putting more load on the engine and holding down the engine speed. The pilot can select the desired engine speed between 1,800 rpm (for maximum fuel efficiency) and 3,000 rpm (for maximum power). The engine speed is generally independent of the throttle setting, but when the throttle is opened, the propeller blades will always be set to the most efficient angle. This results in significantly improved acceleration and climb rate compared with a similar aircraft fitted with a fixed or two-pitch propeller.

- **Variable-Pitch Propellers** (*Messerschmitt Bf109 and Bf110*)

This works in a very similar way to the two-pitch propeller but rather than having just two possible positions, the blades can be set to a range of angles. This allows the pilot to continuously adjust the propeller pitch to suit the current flight speed. In addition, the propeller can be feathered. This means that the blades can be turned to an angle of 90° in the event of an engine failure. In this position they produce least drag and thereby improve the gliding performance of the aircraft.

All of these propellers can be thought of as doing a similar job to the gearbox in a car. A low gear is used for starting off, and can also be used to provide effective engine braking, and a higher gear is selected as the vehicle accelerates and engine speed exceeds the normal operating range.


- **Automatic Propeller Pitch Control**

If the player does not wish to worry about the propeller pitch setting, the computer can control the propeller setting automatically. The automated system will always try to ensure that the propeller pitch is set such that the player has the maximum possible thrust available from the engine. To enable the automatic pitch control, the Prop Pitch Control flight preference in the Sim Config menu should be set to Auto. This option can only be set when Engine Management is set to Auto. See Chapter Two Section Three for further details.

- **Novice Flight Model**

When the novice flight model is being used, the propeller is not modelled accurately. Therefore, the player has only the throttle to control and need not worry about the propeller pitch setting.

- **Correct Propeller Pitch for Various Flight Conditions:**



Section Four

STARTING THE ENGINE TAXIING AND TAKEOFF

ENGINE STARTING

Engine starting can only be carried out by the player if the Engine Management flight preference option in the Sim Config menu is set to Manual. If this is not the case, then the engine will always be running at the start of a mission, and will only stop if the fuel runs out or the engine becomes seriously damaged.

The procedure for starting the engine is similar for all aircraft, but in the case of the Bf110, the two engines have to be started separately. Starting the engine requires the use of the interactive cockpit controls.

The full engine starting procedure for the Spitfire is as follows:

PRELIMINARIES

On entering the cockpit check:

- | | |
|------------------------------|---|
| Undercarriage selector lever | - DOWN
(Check that indicator shows DOWN;
check that green lights appear). |
| Flaps | - UP |
| Contents of lower fuel tank. | |

STARTING THE ENGINE AND WARMING UP

- (i) Set:

Both fuel cock levers	- ON
Throttle	- half inch open (20%)
Airscrew pitch control	- Fully forward
- (ii) Prime the engine, the number of strokes required being as follows:

Air temperature	°C:	+20	+10	0	-10	-20
		3	4	6	8	15
- (iii) Switch ON ignition.
- (iv) Press the starter push button.
The push button should be kept depressed until the engine is firing evenly.
- (v) While warming up, exercise the airscrew pitch control a few times.
Also make the usual checks of temperatures, pressures and controls.
- (vi) After a few minutes move the airscrew pitch control fully forwards.
- (vii) Open the throttle to give maximum boost for cruising and check each magneto in turn. The drop in r.p.m. should not exceed 150.
- (viii) Open the throttle fully momentarily and check static r.p.m., boost and oil pressure.
- (iv) Warming engines must not be unduly prolonged because the radiator temperature before taxiing out must not exceed 100°C.

Engine starting in other aircraft follows the same pattern but the inertia starter in the German aircraft is operated in a different way to the starter motor of the British aircraft. To energise the inertia starter, operate the starter handle for approximately 10 seconds, and then release the handle. Setting of fuel cocks, propeller pitch, priming and ignition is carried out in the same way as described above.

TAKING OFF

The aircraft featured in the game all have a similar undercarriage layout. This consists of two main wheels just ahead of the centre of gravity (these wheels are retractable on all but the Ju87) and a fixed small tail wheel below the tailplane which allows the aircraft to be steered on the ground using the rudder pedals. This layout means that the aircraft sits on the ground in a nose-high attitude, typically 12°, and can seriously limit the forward visibility of the pilot.

When taxiing, the pilot must weave the aircraft from left to right to allow him to see ahead and ensure he is not going to taxi into anything. An alternative available to pilots of the Spitfire, Hurricane and Ju87 is to slide back the canopy and look over the side of the cockpit.

When taking off the pilot would normally raise the tail of the aircraft as soon as possible, thus lowering the nose and allowing him much better forward visibility. This also has the effect of lowering the drag of the aircraft, as it is now pointing in the direction of travel, and therefore it will allow the aircraft to accelerate more rapidly. Once take-off speed has been achieved, the pilot would lower the tail, to increase the angle of attack of the wings, and therefore increase the lift produced, and the aircraft will take-off. An alternative method (if the pilot is pointing straight down the runway and confident that there is nothing ahead of him) is to simply pull back on the stick during acceleration, and hold the tailwheel on the ground. This method does not provide good forward visibility, but makes it easier for the pilot to keep the aircraft pointing down the centre of the runway.

The take-off procedure is as follows:

FINAL PREPARATION FOR TAKE-OFF


Trimming Tabs	- Elevator about one division nose down from neutral. Rudder fully starboard.
Pitch	- Propeller pitch control fully forward.
Fuel	- Both cock levers ON and check contents of lower tank.
Flaps	- UP
Wheel brakes	- Parking brakes released on both wheels.

TAKE-OFF

- (i) Open the throttle slowly to the gate (RATED BOOST position). If taking off from a small aerodrome, full take-off boost may be necessary and can be obtained by opening the throttle through the gate to the TAKE-OFF BOOST position.
- (ii) Any tendency to swing can be counteracted by the use of coarse rudder.
- (iii) After raising the undercarriage, check that the red indicator light comes on.
- (iv) Do not start to climb until a speed of 140 mph is reached.

Note: The rudder trim, where available, should be left neutral if propeller torque and slipstream have been disabled in the flight preferences. Similarly, if the novice flight model is being used, both the elevator and rudder trim should be left neutral.

Typical Take-off Sequence



RECOMMENDED SPEEDS

Spitfire

Take-off	.80 mph
Best climb speed	180–200 mph
Cruise speed at 15,000 ft	300 mph
Max. speed at 15,000 ft	346 mph
Max. flap/gear extension speed*	140 mph
Landing approach	120 mph
Touchdown speed	.80 mph
Max. controllable dive speed**	400 mph

Hurricane

Take-off	.80 mph
Best climb speed	165–185 mph
Cruise speed at 15,000 ft	280 mph
Max. speed at 15,000 ft	315 mph
Max. flap/gear extension speed*	140 mph
Landing approach	120 mph
Touchdown speed	.80 mph
Max. controllable dive speed**	400 mph

Bf109

Take-off	100 mph
Best climb speed	180–190 mph
Cruise speed at 15,000 ft	305 mph
Max. speed at 15,000 ft	340 mph
Max. flap/gear extension speed*	160 mph
Landing approach	130 mph
Touchdown speed	100 mph
Max. controllable dive speed**	380-400 mph

Bf110


Take-off	.90 mph
Best climb speed	180–190 mph
Cruise speed at 15,000 ft	295 mph
Max. speed at 15,000 ft	330 mph
Max. flap/gear extension speed*	160 mph
Landing approach	120 mph
Touchdown speed	.90 mph
Max. controllable dive speed**	380-400 mph

Ju87


Take-off	75-85 mph
Best climb speed	120 mph
Cruise speed at 15,000 ft	160 mph
Max. speed at 15,000 ft	230 mph
Max. flap extension speed*	150 mph
Landing approach	90 mph
Touchdown speed	75 mph
Max. controllable dive speed**	400 mph

- * The flaps and undercarriage are activated by hydraulic jacks (or manually in the case of the Bf109 flaps). When these devices are extended, they stick out into the airflow where they will be subjected to strong aerodynamic forces. If the airspeed is very high, then the forces upon the devices and the hydraulic system become very large and can cause serious damage. Therefore, a maximum speed is specified below which it is safe to extend the flaps and gear without danger of damaging them. If they are deployed above this speed, they will typically cause lots of buffeting, and can become stuck in one position.
- ** A characteristic typical of all the aircraft featured was the stiffening of controls at high speed. One cause of this problem was that the control surfaces were covered with fabric rather than metal. This kept the controls systems light in weight but at high speeds, such as in a steep dive, the surfaces would tend to balloon outwards due to the airflow past them. This resulted in the controls becoming very stiff, such that the pilot may have insufficient strength to move the control stick and recover from the dive. In this case, it is necessary to close the throttle and reduce the speed of the aircraft before pulling back on the stick to raise the nose.

This problem was eventually remedied by replacing the fabric covered control surfaces with metal covered ones giving significantly greater manoeuvrability at high speeds, but this did not take place until 1941, after the Battle of Britain.



Normal Airspeed - Light Controls



Very High Airspeed - Stiff Controls

Section Five

FLYING

THE NOVICE FLIGHT MODE


The novice flight model is provided as a means of playing the game without having to consider the dynamic behaviour of the aircraft including the level of stability and control effectiveness throughout the flight envelope. It also allows the novice player to throw the aircraft around the sky without having to worry about exceeding the limits of the aircraft or the consequences of doing so.

The novice model uses the same data as the full flight model which allows the performance of the aircraft to be modelled to the same high level of accuracy. The result of this is that the player can choose to fly using the arcade flight model and still be able to fly in formation with other aircraft, or enter combat with the same fighting capabilities as a player using the full flight model. Since the novice model does not represent the dynamic response of the novice, the control of the aircraft is considerably easier, due to the more stable behaviour of the aircraft, and due also to the fact that the controls will only manoeuvre the aircraft within its safe limits. Therefore, in a tight turn, the player can pull the control stick all the way back to get maximum turn rate, but will never be able to stall the aircraft, or loose control. The energy of the aircraft is modelled accurately so the aircraft will still loose speed in a tight turn, or if the player tries to climb too steeply. If too much speed is lost, the aircraft will not be able to continue flying in a straight line so, just like in a real stall, the nose will drop until the speed builds up again.

THE CROSS-OVER TURN

The RAF fighter formations were generally made up of vics of three aircraft with a separation of approximately 2 wingspans between adjacent aircraft. This requires very accurate flying and continuous concentration from the pilots. When turning onto a new heading, the two wingmen must maintain their position relative to their leader. This means that the aircraft on the inside of the curve must turn more tightly than the lead aircraft, and likewise the wingman on the outside must make a larger radius turn than his leader to stay in position. As well as making turns of different radii, the two wingmen must also adjust their speed so that they remain the correct distance behind the leader. This requires the pilot of the inner aircraft to reduce the throttle during the turn, and the pilot of the outer aircraft to increase the throttle as he has a greater distance to travel.


The Luftwaffe fighters would fly in Schwarme made up of four aircraft with adjacent aircraft being about 200 yards apart. If the pilots attempted to use the same technique as used by the RAF for turning onto a new heading, then the radius of the turn would be very large indeed and require the pilot on the outside of the curve to open the throttle fully, while the inner pilot would have to slowdown very rapidly, make a tight turn at low speed, and then accelerate again rapidly to regain the original speed. In order to avoid these problems, the Luftwaffe developed the cross-over turn, as illustrated below. This allowed the all the pilots in the Schwarm to maintain their original throttle setting throughout the manoeuvre, but ended up with the positions in the formation being reversed.



STALLING AND SPINNING

As the angle of attack of the wings (or tail surfaces) is increased, the aerodynamic force produced due to the airflow will also increase. By pulling back on the stick, the pilot will lower the tail of the aircraft and this will increase the attitude of the aircraft relative to the airflow, thereby increasing the angle of attack. Unfortunately, the lift produced by the wing cannot be increased indefinitely by simply pulling back on the stick. As the angle is increased, the airflow over the top of the wing is required to change direction more rapidly to follow the curved surface. If the angle of attack exceeds the stall angle, the air can no longer follow the surface smoothly, and the laminar airflow breaks down to produce turbulent eddies over the wing. This turbulence results in a loss of lift, increased drag on the wing and as the eddies are irregular, the aerodynamic forces produced will be varying at a fairly high frequency. This unsteadiness causes buffet which is felt

through the structure of the aircraft as a shaking, and is a good warning that the wings are approaching a stall. A stall can happen at low speed in level flight as the pilot pulls back on the stick to keep the nose of the aircraft from falling, or in a tight turn when he is pulling back to achieve a high turn rate.



Fighter aircraft like the Spitfire are designed to be highly manoeuvrable, and therefore the pilot is provided with lots of elevator power. This means that he can pitch the aircraft up or down quickly and enter a tight turn easily, but he must also be careful not to pull too hard on the stick and stall the wings. The Spitfire would enter a stall well before the control stick had been pulled back to its limit.


When the wings are near or beyond the stall angle, the ailerons usually lose their effectiveness as they are no longer in smooth laminar airflow. Sometimes lowering the aileron on one side of the aircraft can cause that wing to stall earlier than the other and hence result in the aircraft rolling the opposite way to expected. Therefore, the pilot must take care when using the ailerons at low speed, such as during take-off and landing, or in a tight turn.

If the aircraft enters a stall and the pilot holds the stick all the way back, the speed will eventually become so low that the wings can no longer produce enough lift to hold the weight of the aircraft in the air and the nose will drop rapidly. If the pilot now centres the stick, the aircraft will dive and regain speed such that the wings begin producing lift again and the pilot regains control. If the aircraft is not completely straight when a stall occurs, one wing may stall while the other continues to produce lots of lift. If this is the case, the stalled wing will drop and the aircraft can rapidly enter a spin during which the pilot has very little control. (The pilot can deliberately enter a spin by applying full rudder just before the stall is reached.) The nature of the spin will depend on the characteristics of the aircraft but in general, altitude is lost very rapidly and if the spin is not corrected the aircraft is likely to crash into the ground. During a spin, both wings are at high angles of attack so the ailerons cannot be used to stop the aircraft rotating. Similarly, the airflow over the

tail surfaces in no longer smooth, and therefore the elevators have little effectiveness. Attempting to raise the nose of the aircraft by pulling back on the stick will only result in increasing the stall and worsening the spin.

To recover from a spin, the control stick should be held central or pushed forwards and full opposite rudder should be applied. This should be maintained until the aircraft stops spinning and begins to build up speed in a dive. Once the aircraft has accelerated to the normal flying speed, the pilot will regain control and can raise the nose of the aircraft and continue flying.

The player can also use the Spin Recovery cheat to regain control of the aircraft by holding down **Shift** **S** until the aircraft stops rotating and the controls regain their effectiveness.



Stalling Speeds

As the aircraft loses speed, the pilot must pull back on the stick to maintain enough lift to keep the aircraft flying at the same altitude. If he attempts to maintain altitude with the throttle closed, the aircraft will eventually slow down so much that the wings cannot produce enough lift and the aircraft stalls. The approximate speed at which this will occur is given below. These speeds are correct for a normally loaded aircraft at sea level (i.e. indicated air speed) with its undercarriage and flaps retracted.

Supermarine Spitfire	75 m.p.h.
Hawker Hurricane	80 m.p.h.
Messerschmitt Bf 109	100 m.p.h.
Messerschmitt Bf 110	90 m.p.h.
Junkers Ju 87	70 m.p.h.

Stalling And Spinning Characteristics

Each type of aircraft will have its own specific stalling characteristics which will depend on the shape of the wing cross-section and the weight and geometry of the aircraft. The behaviour of the aircraft will also be effected by the extension of devices such as flaps and gears, and damage to the wings and tail surfaces as well as the fuel load, the speed and the altitude.

- **Novice Model**

If the Novice flight model is being used, there is no danger of the player stalling or spinning the aircraft at all. Pulling all the way back on the control stick will bring the wing almost to the stall limit but not beyond. If the aircraft loses too much speed, the nose will drop and the speed must be built up before level flight can be restored.

- **Spitfire**

When the stall occurs, there is a violent shuddering throughout the aircraft and there is also a tendency for the aircraft to flick over, particularly in a high speed stall. Unless the control column is pushed forward rapidly, the aircraft is likely to roll and a spin will result. The aircraft can enter a flat spin, which may be irrecoverable and a number of Spitfires were lost in this way. The loss of height involved in recovering from a spin may be large, and the pilot should allow the aircraft to reach 150mph in the resultant dive before starting to raise the nose.

- **Hurricane**

At the stall, it is typical for one wing to drop sharply, often beyond the vertical. This will occur with the flaps either up or down. Recovery from a spin is normal but like the Spitfire, a large amount of height may be lost

in the process. A speed of 150 mph should be attained in the dive before the pilot attempts to return to level flight.

- **Bf109**

This aircraft is fitted with automatic leading edge slats which will open at about 20mph above the normal stalling speed. These help to keep the airflow over the top surface of the wing smooth and laminar and delay the occurrence of the stall. Without these slats, the aircraft would have to take-off and land at higher speeds which requires a greater distance of runway and can lead to more serious accidents. Although the fighter stalls at quite high speeds, this is gentle, even under G, with no tendency to spin. The onset of the stall is signalled by buffeting of the elevators typically followed by the gentle dropping of the nose and left wing. The Bf109 would never enter a flat spin and there was never any difficulty in recovering from a spin.

- **Bf110**

Like the Bf109, this aircraft is fitted with leading edge slats which will open automatically as the airspeed reduces. Care should be taken when using only one engine as this can lead to uneven airflow over the two wings, causing the aircraft to swing and bank, and may cause uneven stalling of the wings leading to a spin. This is particularly hazardous when the flaps are extended and when making a single engine approach, with the stationary propeller feathered, the flaps should not be lowered by more than 25 degrees.

- **Ju87**

The Ju87 is a stable bomber rather than an agile fighter. For this reason it has large tail surfaces giving it inherent stability and gentle stall characteristics. During the development of the Ju87B from the Ju87A, the fin was enlarged to compensate for the change in the engine fitted, and this had the effect of making the aircraft almost spin-proof.

Section Six

COMBAT MANOEUVRES


COMBAT PERFORMANCE COMPARED

Turn Performance at 16,000 ft

Both the British and German aircraft engines were fitted with superchargers, giving them a maximum power output at about 15-16,000 ft. Combat would typically start at this sort of altitude, but descend towards the ground as the aircraft lost energy in turns. By using full throttle and pulling on the stick to achieve a tight turn, with the aircraft at the stall limit, the four fighter aircraft could maintain the rates of turn given below. These are theoretical results and would allow the pilot to maintain this speed and turn rate without losing altitude, but in practice it is very difficult to do accurately.

Aircraft	Speed (mph)	Turn Rate (deg/sec)	Turn Radius (m)	Normal Acceleration
Spitfire	226	18.9	307	3.4 g
Hurricane	219	16.7	335	2.9 g
Bf 109	247	14.9	423	2.9 g
Bf 110	247	15.4	411	3.0 g

Sustained Turn Performance at 16,000 ft




Speed and Climb Performance at 16,000 ft

As well as using the turn rate of the aircraft to get onto the tail of the opponent, the fighter pilots could also use manoeuvres involving rapid climbing and diving. By climbing above the enemy aircraft, a pilot could start an engagement with an energy advantage, which he could convert to speed by diving down to the level of his opponent,

and regain by climbing away to safely following the attack. The climb performance and maximum speed of the fighter aircraft at an altitude of 16,000ft are given below.

Aircraft	Max. Rate of Climb (ft/min)	Max. True Airspeed (Mph)	Max. Indicated Airspeed (Mph)
Spitfire	2500	360	279
Hurricane	2420	328	254
Bf 109	2640	348	270
Bf 110	2010	330	256

Climb and Speed Performance at 16,000 ft



Spitfire and Messerschmitt Bf109 Compared

Comparison flight testing of a captured Messerschmitt Bf109 and a Spitfire during the summer of 1940 carried out by the Royal Aircraft Establishment at Farnborough proved the following results:

- In a shallow dive the two aircraft have the same speed.
- In a flat-out straight and level race the German proved very slightly faster.
- In various rolls and turns, the Spitfire was decidedly more manoeuvrable.
- Pulling out of a steep dive, the 109E had a most definite advantage. It could pull up more sharply, and climb away a little faster.

As can be seen from the comparison above, the fighter aircraft had different relative strengths and weaknesses in combat. The tactics and manoeuvres used by a pilot would depend on the type of aircraft he was flying, allowing him to exploit the aircraft's strengths and avoid the weaknesses which could allow his adversary to get an advantage in an engagement.

The main differences between the aircraft types with regard to their combat performance are as follows.

The British aircraft have a lower wing loading than their German counterparts. The wing loading is the weight of the aircraft divided by the wing area, and is typically expressed in lbs per square foot, or kg per square metre.

Generally, a lower wing loading allows the aircraft to pull more G, and therefore turn more tightly. This can be seen in the diagram above showing the relative turn performance of the 4 fighter aircraft.

The German fighters have a higher thrust to weight ratio than the British aircraft. The Bf109 is approximately 10% lighter than the Spitfire, but has about 10% more engine power available. This results in a greater climb rate, and also a higher ceiling.


The Rolls-Royce Merlin engine is fitted with a gravity-fed carburettor while the Daimler-Benz engine using direct fuel injection. This allows the German aircraft to experience negative G without loss of power, but the engines in the British aircraft would be starved of fuel if the aircraft does not maintain positive G during flight.

The Bf110 and the Ju87 are both relatively heavy with less manoeuvrability than the Spitfire, Hurricane and Bf109. They do, however, have the advantage of a rear gunner giving them good all round visibility and allowing the second crew member to return fire when the aircraft is attacked from the rear. It should be noted that the single rearward facing machine gun is no match for the eight Browning 0.303in guns of the Spitfire or Hurricane. The gunner being situated towards the rear of the aircraft with little armour is highly vulnerable to enemy fire.

SPITFIRE

• Level Turning Fight


As illustrated above, the Spitfire had the best turning performance of the 4 fighters. This gave the Spitfire pilot an advantage in a level turning fight, allowing him to turn more quickly than any German adversary, and thus get into an attacking position on the tail of the enemy aircraft.



• Split-S

As the Merlin engine must always have positive G to provide fuel to the engine, the Spitfire cannot enter a dive simply by pushing forward sharply on the stick. Doing this would result in negative G, which would cause the engine to cut out for a few seconds. This momentary loss of power is


enough to allow a pursuing aircraft to gain ground, or an aircraft being pursued to escape. The Spitfire pilot must therefore use a Split-S manoeuvre, which involves rapidly rolling the aircraft into an inverted position and then pulling back on the stick. This manoeuvre maintains a positive G force on the aircraft throughout.



- **Climbing Turn**

This was a defensive manoeuvre used by Spitfire pilots to take advantage of the aircraft's high turn rate. It was a steep climb with a spiralling turn during which the pilot would hope to out-turn a pursuing aircraft. Obviously, the aircraft speed will decrease rapidly during this manoeuvre so it cannot be maintained for any significant length of time.

HURRICANE




- **Split-S**

Like the Spitfire, the Hurricane is powered by a Merlin engine with a gravity fed carburettor. It must therefore use the Split-S manoeuvre in order to enter a steep dive without losing engine power.

- **Head-on Attack**

This was a tactic employed by some Hurricane squadrons when attacking flights of enemy bombers. The fighters would remain in vic formation and overtake the bombers in


order to launch an attack on the nose of the aircraft. The bombers often had all the crew members concentrated in the front section of the aircraft but with little defensive weaponry or armour against a head on attack. The fighter pilots would therefore hope to shoot through the glass nose of the bomber and kill or disable the pilot. As the fighters approach the bombers head on, they have a closing speed of some 500mph. This leaves them very little time to aim and shoot before having to bunt to avoid a collision. This attack method was later abandoned following heavy losses to the fighter squadrons.



BF109


• Dive and Zoom

As stated above, the Messerschmitt Bf109 has a high climb rate, but a lower turn rate than the Spitfire or Hurricane. These properties mean that the German fighter was more suited to combat in a vertical plane rather than a horizontal turning fight. The German pilots would attempt to start an attack from above the enemy and in the direction of the sun. From this position they could dive into a formation of British fighters undetected, fire at the aircraft in the rear of the formation, and climb back to safety using their superior climb rate.



- **Up and Under**

This was a technique used for attacking an aircraft from astern without being spotted, and was favoured by Adolf Galland, who made the majority of his victories in this way. All the single seater fighters offered the pilot poor visibility to the rear and below the tail, and had a significant blind spot which could be utilised by an aggressor. The attack started with a steep dive from above and behind the enemy, to a position to the rear and slightly below it. Here, the pilot of the enemy aircraft would not see the aggressor approaching and the first he would know of the attack was when it was too late. A right handed pilot with his left hand on the throttle and right hand on the stick could see slightly more over his left shoulder than his right. Therefore, this attack was best made from slightly to the right of the enemy aircraft.



- **Steep Dive**

The Messerschmitt was slightly faster in a dive than its British counterparts. This allowed the German pilots to escape a pursuing fighter by pushing forward on the stick and entering a steep dive. As well as having the superior diving speed, the Bf109 could withstand negative G without losing engine power. This meant that it could enter a dive by bunting, whereas a pursuing British pilot would have to perform a split-S manoeuvre or lose engine power for a few seconds, both of which allowed the German to increase the distance between himself and his adversary.


BF110

Like the single engined Bf109, the Bf110 had a relatively large turning circle, but good climbing and diving speed. Therefore this aircraft was also better suited to combat in a vertical plane rather than a horizontal turning fight.

- **Stall Turn**


The Bf110 was heavy and less manoeuvrable than the Spitfire, Hurricane and Bf109, and also had a larger turning circle. Therefore, in order to change direction quickly, some Bf110 pilots

would use a stall turn. This was done by adopting a nose high attitude and climbing until the aircraft speed dropped off and left the aircraft almost hanging in the air and on the verge of a stall. At this point, the pilot would apply full rudder in the direction he wished to turn, causing one wing to stall and the aircraft to rotate rapidly as the nose drops. Once the aircraft was pointing in the desired direction, the pilot would apply full opposite rudder to stop the turn, and hold the nose down to pick up speed before resuming normal flight. As one wing is being deliberately stalled, there is a risk of this manoeuvre going wrong and the aircraft entering a spin.



• Lufberry


When attacked by British fighters the Bf110s, lacking the high manoeuvrability of their opponents, would sometimes form a defensive circle, called a Lufberry. The circle was usually about a mile across and often rather ragged in shape, but it allowed each aircraft to cover the tail of a fellow pilot to prevent the British fighters from getting into a firing position. This manoeuvre was also used by the Junkers Ju87 when threatened.




DIVE BOMBING PROCEDURE

The Ju87 was used for highly accurate dive bombing attacks of convoys of ships as well as ground targets. The aircraft could carry a 1000 lb bomb on an extending bomb crutch under the centre of the fuselage. On releasing the bomb in a steep dive, the crutch would swing forwards and downwards, ensuring that the bomb was clear of the propeller disc at the point of release. A typical dive bombing attack would start at about 10,000 - 15,000 ft above the target, and involve a 80 degree dive through 8,000 feet reaching a speed of 350 mph, almost straight down. The bomb would be released at about 2,300 ft (700 m) allowing the pilot to pull out of the dive, sometimes clearing the ground by less than 100 m, and climb away from the target area.

In order to prevent excessive speeds in the dive, the Stuka is fitted with under-wing dive brakes, which can be rotated to lie perpendicular to the airflow. This results in a large amount of extra drag on the wings which, along with the large fixed undercarriage, holds the speed of the aircraft back to about 350 mph.



Dive brake retracted (Low Drag)



Dive brake extended (High Drag)

The Ju 87 cruises at about 160 mph. A window in the floor of the cockpit allows the pilot to look down on the area below and ahead of his aircraft in order to find the target and decide when to begin his attack. When he judges he is over the target he pulls a lever to rotate the underwing dive brakes to the maximum-drag position. This would cause a severe nose-up trim change, so to compensate for it and hold the aircraft level the trim tab lowered automatically beneath the elevator. The pilot would then enter an 80° dive by either pushing forward on the stick, or rolling the aircraft onto its back, and pulling on the stick. During the dive, the inherent stability of the aircraft made it easy for the pilot to place the gunsight on the target and hold it there. When the aircraft passes below a pre-set altitude, typically 4,300 ft (1300 m) above the ground, a warning horn would sound in the cockpit. The horn would cease a few seconds later as the aircraft crossed the pre-set bomb release altitude, typically 2,300 ft (700 m). This was the signal for the pilot to release the bombs. Releasing the bomb would also return the elevator trimming tab to the neutral position, and the nose up change of trim associated with the dive brakes would cause the aircraft to pull smoothly and automatically out of the dive. During the pullout from the dive, an automatic system would ensure

that the aerodynamic loading on the aircraft was not greater than 6G, however, the pilot could bypass this system by pulling back hard on the stick and overriding the hydraulic limiting system. Once the nose of the aircraft had risen above the horizon, the pilot would retract the dive brakes, to the low drag position, open the throttle and continue flying as normal.

The check list for preparing the Ju87 to enter a dive was as follows:


Landing flaps	- Cruise Position (UP)
Elevator trim	- Cruise Position (NEUTRAL)
Rudder trim	- Cruise Position (NEUTRAL)
Airscrew pitch	- Cruise (COARSE PITCH)

Contact altimeter set to release altitude

Throttle pulled right back

Dive brakes opened

TYPICAL DIVE BOMBING ATTACK



HAWKER HURRICANE



The Hawker Hurricane made its first flight in November 1935. It was designed to be an easy aircraft to bring into production. The next year a prototype was fitted with eight Browning machine guns and eventually the guns were grouped in two quartets positioned to fire outside the propeller disc.

In March 1939 the first batch of 600 Hurricanes were delivered, powered by the Merlin III engine and with a three-bladed constant speed propeller. After the 681st Hurricane was made, the fabric covered wings were replaced by metal wings in February 1940. The extra protection this armour provided (including rear protection for the pilot) made up for its inferior performance compared with the Messerschmitt.

During the Battle of Britain two thirds of active RAF fighters were Hurricanes.

SUPERMARINE SPITFIRE



The Spitfire was the end result of a project by Vickers' subsidiary Supermarine Aviation to design an experimental high-speed single-seat fighter. Service pilots reported that the prototype was "simple and easy to fly and [had] no vices". It seemed to give an excellent compromise between maneuverability and steadiness for shooting. The first production aircraft flew on May 14, 1938.

The Spitfire was not an easy aircraft to build, which was part of the reason for the easier constructed Hurricane being found in greater strength at the start of the battle of Britain. The production difficulties with early Spitfires were shown by comparative figures from mid 1940, when the rate was still averaging only 80 a month compared with 236 a month for the Hurricane.

In spite of this, Spitfires inflicted more than half the total losses suffered by the Luftwaffe in the assault on Britain – a statistic that underlines the Supermarine fighter's particular merit in air-to-air fighting.

MESSERSCHMITT BF109



Designed by Messerschmitt and Lusser, the Bf109 first flew in May 1935. Some of its features, including poor taxiing view, aroused extreme scepticism among conventionalists. It was a powerful aircraft - in November 1937 the Bf109 V13 raised the world airspeed record for landplanes to over 370 mph.

There was a single 400 litre internal fuel tank behind and below the pilots seat. This gave only 20 minutes actual combat time over Britain with London representing the effective limit of their tactical radius. 300 litre droptanks were developed, produced from moulded plywood – but they were found to leak seriously after comparatively short exposure to the elements.

Most of the 1,172 aircraft lost by RAF Fighter Command during July-October 1940 fell to the guns of the Messerschmitt single-seater.

MESSERSCHMITT BF110



The Bf110 was designed to fulfill the concept of a strategic fighter, which included performing the primary task of clearing a path for bombers in the light of an enemy's defensive fighter screen. The challenge was to make a twin-engined long range fighter compete in combat terms with a short range single seater. In this sense the Bf110 was to fall short of the expectations generated by the Ministry of Propaganda in Berlin.

It was sluggish by comparison with the maneuverability of the Hurricane and Spitfire. The acceleration and speed of the Bf110 were insufficient to enable its pilots to avoid combat when opposed by superior numbers of interceptors.

JUNKERS JU87

The Junkers dive bomber had an angular and rather ugly design, but it was an extremely sturdy aircraft. It gave its pilot light controls and good flying characteristics. Its crew members enjoyed good visibility and it was reputed to be capable of hitting its target with an accuracy of less than 100 ft.



Once the Ju87 encountered determined opposition, such as was to be found over the United Kingdom, its career dramatically entered its eclipse. By July 20, Luftflotten 2 and 3 had 316 Ju87s available for the assault on Britain. The first Ju87 sorties in strength actually took place on August 8, suffering severe losses despite Bf109Es providing top cover.

The Stuka had been revealed for what it was – an inadequately armed and highly vulnerable warplane.

The Oberkommando der Luftwaffe had no recourse but to withdraw the Ju87 from the Cherbourg area to the Pas de Calais where it was to sit out the closing phases of the Battle.

AIRCRAFT DATA AND PERFORMANCE

FIGHTERS

AIRCRAFT	Hawker HURRICANE A	Hawker HURRICANE B	Supermarine SPITFIRE A	Supermarine SPITFIRE B	Messerschmitt BF109	Messerschmitt BF110
Nationality	British	British	British	British	German	German
Crew	1	1	1	1	1	2
Weight Empty	2,180 kg	2,260 kg	2,049 kg	2,138 kg	1,905 kg	4,750 kg
Weight Loaded	2,845 kg	2,924 kg	2,651 kg	2,744 kg	2,710 kg	6,250 kg
Wing Span	12.19 m	12.19 m	11.23 m	11.23 m	9.9 m	16.3 m
Wing Area	23.97 m ²	23.97 m ²	22.48 m ²	22.48 m ²	16.2 m ²	38.4 m ²
Engine	RR Merlin II	RR Merlin III	RR Merlin II	RR Merlin III	DB 601A	2 x DB 601A
Engine Power	1,030 hp	1,030 hp	1,030 hp	1,030 hp	1,175 hp	2 x 1,175 hp
Armament	8 x 0.303 in Browning	8 x 0.303 in Browning	8 x 0.303 in Browning	8 x 0.303 in Browning	2 x 7.92 mm MG-17 2 x 20 mm MG- FF Cannon	4 x 7.92 mm MG-17 2 x 20 mm MG- FF Cannon 1 x 7.92 mm MG-15
Bomb Load	-	-	-	-	-	500 lbs
Max Speed	340 mph	328 mph	346 mph	335 mph	348 mph	349 mph
Ceiling	33,900 ft	34,200 ft	34,400 ft	34,700 ft	36,000 ft	32,000 ft
Range	340 miles	325 miles	415 miles	395 miles	412 miles	530 miles

BOMBERS

AIRCRAFT	Bristol BLENHIEM	Junkers JU87	Junkers JU88	Heinkel HE111	Dornier DO17
Nationality	British	German	German	German	German
Crew	3	2	4	5	5
Weight Empty	3,674 kg	2,750 kg	9,860 kg	8,680 kg	5,210 kg
Weight Loaded	5,670 kg	4,250 kg	14,000 kg	14,000 kg	8,590 kg
Wing Span	17.2 m	13.8 m	18.25 m	22.6 m	18 m
Wing Area	43.6 m ²	31.9 m ²	50.2 m ²	87.6 m ²	55 m ²
Engine	2 x Mercury VIII	Jumo 211A	2 x Jumo 211B	2 x DB 601A	2 x Bramo 323P
Engine Power	2 x 840 hp	1,200 hp	2 x 1,200 hp	2 x 1,175 hp	2 x 1,000 hp
Armament	2 x 0.303 in Browning	2 x 7.9mm MG-17 1 x 7.9mm MG-15	3 x 7.92 mm MG-15	3 x 7.92 mm MG-15	up to 8 x 7.92mm MG-15
Bomb Load	1,000 lbs	1,100 lbs	4,000 lbs	4,400 lbs	2,200 lbs
Max Speed	285 mph	232 mph	286 mph	247 mph	265 mph
Ceiling	27,280 ft	26,500 ft	26,500 ft	26,250 ft	26,400 ft
Range	1,125 miles	370 miles	1,553 miles	1,224 miles	745 miles

OTHERS

OTHER AIRCRAFT	Boulton-Paul DEFIANT
Nationality	British
Crew	2
Weight Empty	2,757 kg
Weight Loaded	3,773 kg
Wing Span	12 m
Wing Area	23.2 m ²
Engine	RR Merlin II
Engine Power	1030 hp
Armament	4 x 0.303 in Browning
Bomb Load	-
Max Speed	304 mph
Ceiling	30,350 ft
Range	465 miles



Chapter Seven

THE BATTLE OF BRITAIN REMEMBERED

During the 1930's, the British Air Ministry commissioned two new monoplane fighters, the Hawker Hurricane and Supermarine Spitfire, both of which were in squadron service by 1938. These aircraft were very different to the comparatively slow and delicate biplanes that the RAF's pilots had flown in the First World War.

Fighter tactics were drawn up from theories based upon fighters intercepting lone and unescorted bombers. This was because Britain exceeded the range of German fighters, flying from German bases, so fighter-to-fighter combat was considered to be of secondary importance, not to mention unlikely. Thus in Britain, Fighter Command's pilots flew their monoplane fighters in tight 'vics' of three, practising carefully co-ordinated set-piece attacks against either lone or small numbers of enemy bombers. Actual combat experience during the Spanish Civil War had already taught the Germans that such tactics were already obsolete.

Hitler had secretly rebuilt his Luftwaffe with new aircraft of the latest monoplane design, including both bombers and fighters. Taking the Blitzkrieg formula into account, German fighter design included features suitable for attacking both fighters and bombers. For example, the Messerschmitt 109, like the Hurricane and Spitfire a fast, single-engined fighter, was not only armed with two 7.9 mm machine-guns, but also two 20 mm cannon. Although the latter had a much slower rate of fire, the effects were devastating. The 109's engine was also fuel injected, meaning that it was unaffected by gravity whilst in a diving attitude. By comparison, the British fighters did not enjoy the benefits of cannon, but were instead armed with eight .303 machine-guns. Also, no thought had been given in England to fuel injection, the British fighters' Rolls Royce Merlin engines relying on the simple float carburettor system, this later giving the German fighter superiority in the dive.

During the Spanish Civil War Germany developed a new formation known as the Schwarm, this comprising four fighters spread out very loosely in a stepped up line abreast similar to the fingers of an outstretched hand, there being as much as 200 metres between each aircraft. In this way, German pilots were able to search for the enemy without fear of

collision. When battle was joined the Schwarm would split into the Rotte of two fighting pairs, leader and wingman. Indeed, this remains the basic fighter formation even today. Germany also first used dive-bombers in Spain, the much-feared Stukas, and medium bombers in support of fast moving armour and infantry.

On May 10th, 1940, German forces attacked Belgium, Holland, Luxembourg and France. In what came as a surprise attack, German armour poured through the supposedly impassable Ardennes forest, effectively and immediately outflanking the Maginot Line in the process. The Allies having been collectively overwhelmed, they were finally evacuated from the beaches around Dunkirk, the Royal Navy and 'Little Ships' rescuing some 330,000 Allied troops. Left behind, however, was all artillery, armour and much other equipment. And the RAF component, the Advanced Air Striking Force, had also suffered grievous losses. Sensibly, British Fighter Command had retained its precious Spitfires for home defence, the more numerous Hurricane squadrons having been sent to fight in the ill-fated French campaign.

Given that the First World War had raged for five years, the fact that France had fallen in a matter of six weeks was completely stunning.

The opportunity to invade England had been an unexpected bonus for Hitler. Although the RAF clearly faced problems across the English Channel, so too did the Germans. Barges suitable to carry an invasion force across the Channel had to be found, converted, and concentrated in and around Calais. Despite the fact that the Luftwaffe had been designed to support fast moving ground forces, however, it now found itself required to operate in a strategic role. German bombers were of a medium capacity, so lacked the performance and bomb carrying capacities of the later four-engined Allied bombers. Also, excellent though the Me 109 was, it was intended for use not as an offensive escort fighter but in a defensive role meaning that its range was too limited, providing just 20 minutes flying time over London. Nevertheless, the Germans had great advantages in experience and enjoyed numerical superiority.

Thirteen German divisions, each some 19,000 strong, were moved to the Channel coast as the vanguard of a landing force comprising 39 divisions. Plans were made for the disembarkation of 125,000 men during the invasion's first three days. The German service chiefs agreed that Operation Seelöwe (Sealion, the proposed seaborne invasion of England) would only be feasible if the Luftwaffe defeated the RAF, achieving total aerial supremacy prior to the fleet setting sail.

Britain did have one particular advantage: radar, or more correctly 'Radio Direction Finding'. The extra few minutes warning given by this new detection system would make it possible for the defending fighters to 'scramble' (emergency take-off) and attain an appropriate height and position favourable for interception. By the summer

of 1940, the radar chain around the British Isles comprised 22 'Chain Home' stations and 30 'Chain Home Low' stations. Each was positioned to ensure, at least in theory, that every aircraft approaching Britain from the east or south would be detected by at least two stations. Radar therefore became the keystone of Air Defence, with its network of RDF stations, Observer Corps posts and centres, sector operations rooms, radio-telephony transmitters, landlines and ancillary devices. Germany failed to fully understand its significance, which would be a major factor during the Battle of Britain.

For the air defence of Great Britain, Fighter Command divided the British Isles into four Group areas, each with its own commander and headquarters but answerable to Fighter Command HQ (Bentley Priory). London and the southeast was defended by No 11 Group, No 12 Group protected the Midlands and the north, whilst Northern Ireland was the responsibility of 13 Group. No 10 Group, covering the West Country and South Wales, became operational on July 8th, 1940, just in time for the Battle of Britain. Although each Group Commander had commitments to his own area, he was also obliged to respond to calls for assistance from 11 Group, which would clearly bear the brunt of the fighting. Each Group was then sub-divided into Sectors, each with its own Sector Station, effectively a local HQ comprising both an aerodrome and Sector Operations Room.

The 'System' worked as follows: -

1. The RDF station would detect an increase in enemy activity over the French coast as a raid assembled.
2. This information would be passed by landline to the underground Filter Room at Fighter Command. There the information was sifted by filterers and filter officers, displayed on a gridded map and passed by tellers through closed speech circuits to both the adjacent Command Operations Room and those of the appropriate Groups.
3. After incoming aircraft had crossed the coast, the Observer Corps was responsible for tracking their progress. Posts reporting to the Observer Centres which were connected by landline to the Command Operations Room. From the latter were issued orders to local civilian authorities regarding when to sound warning sirens. Tactical control, however, was delegated to the Groups and Sectors who issued orders directly to stations, squadrons and the Gun Operations Room which tied anti-aircraft guns into the System.
4. In each Group Operations Room, at least one Controller was always on duty, looking down on a huge gridded map showing the Group area and its surrounds. Aircraft approaching or crossing the area were represented by

coloured plaques manipulated by WAAFs, armed with magnetised wands. Facing the Controller across a table was a 'totalisator' (or 'tote') which showed at a glance the location and readiness state of each squadron.

5. The Group Controller would decide upon the appropriate course of action in respect of each and every threat, and give appropriate orders to Sector HQ and Gun Operations Rooms.
6. The Sector Controller would then either bring his squadrons to a state of 'Readiness', i.e. ready for immediate take-off, or send them into the air as appropriate. Once the squadrons were airborne, he would provide them with information and instruction until such time as the formation leader sighted the enemy. By that time, the skill of the Sector Controller should theoretically have favourably positioned the squadrons to attack. When the formation leader cried 'Tally Ho!', the Controller knew that battle was about to be joined, his part played.

Despite the fact that the main attack would obviously fall upon southern England, not all RAF strength was concentrated in that area. Squadrons were, in fact, dispersed across the country, meaning that not only was the whole country protected but that fresh squadrons were available to be sent south as reinforcements. By the same token, it was possible to withdraw depleted squadrons north to rest and re-fit.

In July 1940, the opposing forces compared as follows: -

RAF FIGHTER COMMAND

Spitfires	.286
Hurricanes	.463
Defiants	.37
Blenheims	.114
Total:	.900

LUFTWAFFE

Aircraft in Air Fleets 2, 3 & 5:-

Fighters:-

Me 109s	.844
Me 110s	.250

Bombers: -

Ju 87s	.280
Do 17, Ju 88, He 111s	.1,330
Long Range Recce	.80

Total: **.2,784**

RAF Fighter Command was therefore outnumbered by nearly 3:1 in purely numerical terms. Naturally, enjoying unparalleled success, the Germans were confident. Working against them, however, were the facts that their personnel were tired, having been flying constant operations since May 10th, and their aircraft were in need of attention. Defying these men and machines was not only Fighter Command, in fact, but also the English Channel, every sortie over England dictating two sea crossings. German airman shot down over England or perhaps even the Channel, were likely to become prisoners. An Allied airman shot down could, conversely, even be back in the air later that same day.

Officially, the Battle of Britain is deemed to have begun on July 10th. As the battle developed, distinctive phases, dictated by the attacker, would become apparent. The first concerned enemy attacks against Channel bound convoys. Fighter Command was therefore compelled to fly hundreds of sorties per day to protect this vital merchant shipping.

This phase of the Battle of Britain lasted until August 12th, by which time 30,000 out of nearly five million tons of shipping fell victim to enemy air attacks between Land's End and the Nore. Raids were also mounted by dive-bombers against various Chain Home radar stations, including those at Pevensey, Rye, Dover and Ventnor. Small and therefore difficult to hit, none of these stations were put out of action for more than 24 hours, so Fighter Command was never denied the advantages of radar. During this phase, the Luftwaffe had lost 261 aircraft, Fighter Command 261.

On August 2nd, orders were issued to Luftflotten (Air Fleets) 2, 3 and 5 to destroy Fighter Command. This new phase commenced on August 13th, and concentrated on Fighter Command's airfields in southern England.

During this phase, the Germans, flying from northern bases, attacked targets in northern England. To their dismay, however, mistakenly believing RAF fighters to be concentrated in southern England, they were met by Hurricanes and Spitfires in force, due to clever deployment of squadrons. German losses were heavy.

Nevertheless, Fighter Command's airfields in 11 Group had taken a pounding and the situation was critical. Reichsmarschal Goering now turned his attention to London and a new phase consequently began on September 7th. Although this was bad news for Londoners, the unexpected respite allowed Fighter Command to return its hard-hit aerodromes to 'top line'. During the 'Battle of the Airfields', the Luftwaffe lost 629 aircraft, Fighter Command 385.

London was, the Germans had decided, the only target likely to force the British to commit large numbers of fighters to defend. On that basis virtually the entire emphasis became attacks on the British capital.

The first in this series of attacks against London came on the afternoon of Saturday, 7th September. Hundreds of bombs crashed down on docklands east of Tower Bridge. As this latest fire of London later illuminated the night sky, the raiders returned in wave after wave. The attack concluded at 0430 a.m. the following day, by which time 1,800 Londoners were dead.

On Sunday, September 15th, the Luftwaffe launched what became its last attempt to gain a decision in daylight over London. Dawn on the great day found most of southern England shrouded with mist, but as the sun climbed higher this quickly evaporated. The fine weather therefore heralded a predictable onslaught. Before 11 a.m., German reconnaissance aircraft had probed the Straits of Dover and the East Coast of Kent. From first light onwards, standing patrols of Spitfires and Hurricanes had been up over the coast from Harwich to Land's End. Each Sector Station kept one squadron at Readiness. At 10.50 a.m., the British radar stations reported an enemy formation assembling SE of Boulogne. Five minutes later all of 11 Group's squadrons were at Readiness.

At 11.33 a.m., an enemy formation crossed the coast between Dover and Folkestone, being followed three minutes later by two further hostile plots between Dover and South Foreland. The raiders' targets were London's gas works and other industrial objectives. To parry this thrust, squadrons were airborne, reinforced at midday by the five squadrons of 12 Group's so-called 'Duxford Big Wing', led by Squadron Leader Bader. Such was the ferocity of Fighter Command's attack that the enemy apparently bombed at random across southern England. Two bombs fell on Buckingham Palace. Hardly had this first mass attack been dispersed, however, than the radar stations reported further incoming raids. Between 2.10 and 2.34 p.m., eight or more German formations crossed the English coast bound for London. Having lit fires in Woolwich, Barking, Stepney, Stratford Gasworks, West Ham, Penge, and at a petrol depot in West Ham, the Luftwaffe withdrew, constantly harried by the defenders.

Next, 27 He 111s attacked Portland and were intercepted by just six Spitfires, and six RAF fighter squadrons coupled with accurate anti-aircraft fire frustrated an attack on the Supermarine factory near Southampton. This thwarted raid marked an end to the fighting on what has since become annually celebrated in Britain as 'Battle of Britain Day'. Although Fighter Command's pilots claimed a total number of 185 enemy aircraft destroyed, more recent research confirms the actual figure as 58. Nevertheless, Fighter Command lost just 28 aircraft destroyed, and was able to sustain such losses for longer still.

On Tuesday, September 17th, British Intelligence intercepted a German signal ordering the dispersal of invasion facilities: Seelöwe had been postponed indefinitely.

The Battle of Britain did not end, however, with the fires in London on September 15th, although clearly that date represented a climax and it provides an ending to this simulation. Attacks on London continued, during daylight for a while longer yet, although by smaller formations. Successful attacks were made on various targets connected with the British aircraft industry, although on September 30th, KG55's He 111s took a beating during an ill-fated raid on the Westland Aircraft Factory at Yeovil in Somerset. As a result, the He 111 was transferred to the night blitz, which had already started against British cities and which continued right up until May 1941.

Although Britain's cities continued to suffer at night given that nocturnal defences remained in their infancy, it was recognised that RAF Fighter Command had won the daylight battle lasting 16 weeks. The British Prime Minister paid tribute to RAF Fighter Command: -

“The gratitude of every home in our island . . . goes out to the British airmen, who, undaunted by odds, unwearied in their constant challenge and mortal danger, are turning the tide of world war by their prowess and devotion. Never in the field of human conflict has so much been owed by so many to so few.”

Dilip Sarkar has been fascinated by the Battle of Britain since childhood. Over the last 20 years he has compiled a huge archive of memories and photographs from primary sources including surviving veterans and the relatives of casualties. He is now the author of 12 highly acclaimed books on the Battle of Britain and related subjects.

© Dilip Sarkar August 2000.

Ramrod Publications
16 Kingfisher Close
St Peter's
Worcester WR5 3RY

Chapter Eight

CREDITS, ACKNOWLEDGEMENTS AND TECHNICAL SUPPORT

Credits and Acknowledgements

Lead Programmer:	Jim Taylor
Game Design:	Rod Hyde, Mark Shaw
3d hardware and landscape:	Jon Booth
3d Programmer:	Paul Dunscombe
3d effects and sound effects:	Robert Slater
Flight Model and 3D AI:	Craig Beeston
Comms:	Andrew McMaster
Campaign and User Interface:	Jim Taylor, Rod Hyde
Lead Artist:	Andrew McCann
Artist:	Richard Jones, Toks Solarin
Landscape Data Prep:	Amanda McCann, Chris Jones, Ian Hardy
Network, hardware, and support:	Dave Whiteside
Head Tester:	Chris Jones
Studio Head:	Mike Brown

Producer:Jain Riches
Quality Assurance Manager:Darren Thompson
Lead Tester:John Murray
Testers:Mark Forbes, Edward Albert Wilson,
Nmlotey Nartey, Phill Baldwin, Christopher Giggins
Executive Producer:Roger Cheung

Production: A J Bond
Art Director: Phil Goldfinch

EXTERNAL TEAMS

Sound Effects & German speech:Nick Schreger (MeatWater)

Sound EngineerDetlef Piepke, Audioworx

English speech and translations:SDL

Beta Testers:Paul Stewart, Rainer Rainman Rohde,
Victor 'Clutch' Di Cosola, Ken Cook, Tom Launder,
James "Dusty" Rhodes, Aurang M. Shah-Stone,
Dietger Pohl Gottliebstrasse, Gian Vitzthum, Steve Redfern,
Chris Bebensee, Todd M. Garner, Kurt Giesselman.

ACKNOWLEDGEMENTS

Dilip Sarkar For writing Chapter Seven - the Battle of Britain History

John Siddle For providing some wonderful Spitfire photographs

US National Archives
and Records Administration For providing World War 2 film footage.

Ordnance
Survey For providing original 1940s digital maps of south east England.

Flt. Sgnt. D. Curry,
RAF Digby For help and advice with RAF Operations Rooms

TECHNICAL SUPPORT

(0)208 343 9143 9.30am-6.00pm weekdays

If you experience any technical problems with this or any other Empire product, please contact our technical support staff.

When calling, please have as much information about your system as possible.

If you're in doubt about your system's peripherals please refer to your PC dealer.

Please also have a list of your installation options.

If you prefer to write to us, be sure to enclose the same details.

Empire Interactive

Technical Support Dept.

The Spires,

677 High Road,

North Finchley

London N12 0DA


If you have internet access and would like to contact us on-line, you will find us at:

<http://www.empireinteractive.com>


email: support@empireinteractive.com

APPENDIX A - COCKPITS


SPITFIRE




HURRICANE



STUKA



ME 110



ME 109

